CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

VOLUME 20, 1983

Author Index / Index des auteurs

Achab, A. Chitinozoaires du Llanvirn (formation de Table Head) de la partie occidentale de Terre-Neuve, Canada, 918.

Achab, A., see Bertrand, R., 66.

Adshead, J.D. Hudson Bay river sediments and regional glaciation: I. Iron and carbonate dispersal trains southwest of Hudson and James Bays, 290.

Adshead, J.D. Hudson Bay river sediments and regional glaciation: II. Comparison of carbonate mineralogy of size fractions for ice movement inference, 305.

Adshead, J.D. Hudson Bay river sediments and regional glaciation: III. Implications of mineralogical studies for Wisconsinan and earlier ice-flow patterns, 313.

Albers, J.P. Distribution of mineral deposits in accreted terranes and cratonal rocks of western United States, 1019.

Archibald, D.A., Glover, J.K., Price, R.A., Farrar, E., and Carmichael, D.M. Geochronology and tectonic implications of magmatism and metamorphism, southern Kootenay Arc and neighbouring regions, southeastern British Columbia. Part I: Jurassic to mid-Cretaceous, 1891.

Armstrong, J.E., see Hicock, S.R., 1232.

Armstrong, R.L., see Medford, G.A., 1579.

Arnott, R.J. Sedimentology of Upper Ordovician – Silurian sequences on New World Island, Newfoundland: separate fault-controlled basins?, 345.

Ayres, L.D. Bimodal volcanism in Archean greenstone belts exemplified by greywacke composition, Lake Superior Park, Ontario, 1168.

Baadsgaard, H., and Lerbekmo, J.F. Rb – Sr and U – Pb dating of bentonites, 1282.

Bailey, R.C., see Mareschal, J.-C., 1434.

Baragar, W.R.A., see Dostal, J., 684.

Baragar, W.R.A., see Palmer, H.C., 1456.

Barnes, S.-J., see Sawyer, E.W., 1483.

Bartsch-Winkler, S., Ovenshine, A.T., and Kachadoorian, R. Holocene history of the estuarine area surrounding Portage, Alaska as recorded in a 93 m core, 802.

Beke, G.J., see McKeague, J.A., 37.

Bell, J.S., see Fordjor, C.K., 1445.

Bell, K., see Blenkinsop, J., 1499.

Ben-Avraham, Z., and Nur, A. An introductory overview to the concept of displaced terranes, 994.

Bengtson, S., and Fletcher, T.P. The oldest sequence of skeletal fossils in the Lower Cambrian of southeastern Newfoundland, 525.

Berberian, M. The southern Caspian: A compressional depression floored by a trapped, modified oceanic crust, 163.

Berry, M.J., see Ellis, R.M., 719.

Bertrand, R., Humbert, L., Achab, A., Calise, G., Chagnon, A., Héroux, Y., et Globensky, Y. Recristallisation des calcaires micritiques en fonction de la maturation thermique dans les Basses-Terres du Saint-Laurent du Québec, 66.

Bevier, M.L. Regional stratigraphy and age of Chilcotin Group basalts, south-central British Columbia, 515.

Björck, S., and Keister, C.M. The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario, 1536.

Blais, J.A.R., Lodwick, G.D., and Ferland, R. Gravimetric terrain corrections in western Canada, 259.

Blanchard, M.-C., see Ryall, P.J.C., 764.

Blenkinsop, J., and Bell, K. Rb – Sr geochronology of the Coldwell Complex, northwestern Ontario, Canada: Discussion, 1499.

Bourgeois, J.C., et Geurts, M.-A. Palynologie et morphogenèse récente dans le bassin du Grizzly Creek (Territoire du Yukon), 1543.

Brigham, J.K. Stratigraphy, amino acid geochronology, and correlation of Quaternary sea-level and glacial events, Broughton Island, arctic Canada, 577.

Brocher, T.M. Shallow crustal structure of the continental margin off Nova Scotia, 1657.

Broster, B.E., see Hicock, S.R., 510.

Buchan, K.L., Fahrig, W.F., Freda, G.N., and Frith, R.A. Paleomagnetism of the Lac St-Jean anorthosite and related rocks, Grenville Province, Quebec, 246.

Buck, M.J., see Sawyer, E.W., 1483.

Calise, G., see Bertrand, R., 66.

Campa, M.F., and Coney, P.J. Tectono-stratigraphic terranes and mineral resource distributions in Mexico, 1040.

Carmichael, D.M., see Archibald, D.A., 1891.

Cataliotti-Valdina, D., et Long, B.F. Évolution du débit liquide et de la charge solide d'un estuaire subboréal: rivière St-Jean, Québec (côte nord du golfe du St-Laurent), 184.

Catto, N.R. Loess in the Cypress Hills, Alberta, Canada, 1159.

Cecile, M.P., Shakur, M.A., and Krouse, H.R. The isotopic composition of western Canadian barites and the possible derivation of oceanic sulphate $\delta^{34}S$ and $\delta^{18}O$ age curves, 1528.

Chagnon, A., see Bertrand, R., 66.

Chatterjee, A.K., Strong, D.F., and Muecke, G.K. A multivariate approach to geochemical distinction between tin-specialized and uranium-specialized granites of southern Nova Scotia, 420.

Chatterton, B.D.E., see Johnston, D.I., 844.

Cheadle, S.P., see Mitchell, R.H., 1631.

Christie, K.W., and Fahrig, W.F. Paleomagnetism of the Borden dykes of Baffin Island and its bearing on the Grenville Loop, 275.

Christofides, G., see Mountrakis, D., 1673.

Clague, J.J., Luternauer, J.L., and Hebda, R.J. Sedimentary environments and postglacial history of the Fraser Delta and lower Fraser Valley, British Columbia, 1314.

Clark, G.S., see Metcalfe, P., 886.

Clark, K.F., see Damon, P.E., 1052.

Clarke, G.K.C., see Narod, B.B., 1073.

Clifford, P.M., see Wallace, P.I., 1305.

Clowes, R.M., see Ellis, R.M., 719.

Cochrane, N.A., and Dunsiger, A.D. Remote acoustic classification of marine sediments with application to offshore Newfoundland, 1195.

Collerson, K.D. The Archean gneiss complex of northern Labrador. 2. Mineral ages, secondary isochrons, and diffusion of strontium during polymetamorphism of the Uivak gneisses, 707.

Collot, B., see de Saint-Andre, B., 236.

Coney, P.J., see Campa, M.F., 1040.

Cook, F.A. The effect of lateral deformation on heat flow – heat production relations, 1621.

Craw, D. Structural evolution of a section along the base of the St. Anthony Complex, northwest Newfoundland, 1713.

Cumming, G.L., see Ellis, R.M., 719.

Currie, J.B., see Das Gupta, U., 1682.

Currie, K.L., Pickerill, R.K., and Pajari, Jr., G.E. Structural interpretation of the eastern Notre Dame Bay area, Newfoundland: regional post-Middle Silurian thrusting and asymmetrical folding: Discussion, 1351.

Dallmeyer, R.D., Hussey, E.M., O'Brien, S.J., and O'Driscoll, C.F. Chronology of tectonothermal activity in the western Avalon Zone of the Newfoundland Appalachians, 355.

Dallmeyer, R.D., Kean, B.F., Odom, A.L., and Jayasinghe, N.R. Age and contact-metamorphic effects of the Overflow Pond Granite: an undeformed pluton in the Dunnage Zone of the Newfoundland Appalachians, 1639.

Damon, P.E., Shafiqullah, M., and Clark, K.F. Geochronology of the porphyry copper deposits and related mineralization of Mexico, 1052.

d'Anglejan, B., see Lucotte, M., 1880.

Das Gupta, U., and Currie, J.B. An application of photoelastic models to explain microfractures and joints in carbonate strata, 1682.

Dawson, K.M. Symposium: Metallogeny and tectonics of the North American Cordillera/Symposium: Métallogénie et tectonique de la Cordillère de l'Amérique du Nord, 991.

Day, W.C., see Southwick, D.L., 622.

de Boutray, B., see Vincent, J.-S., 1694.

de Saint-Andre, B., Lancelot, J.R., and Collot, B. U–Pb geochronology of the Bokan Mountain peralkaline granite, southeastern Alaska, 236.

Dimroth, E., Imreh, L., Goulet, N., and Rocheleau, M. Evolution of the south-central segment of the Archean Abitibi Belt, Quebec. Part II: Tectonic evolution and geomechanical model, 1355.

Dimroth, E., Imreh, L., Goulet, N., and Rocheleau, M. Evolution of the south-central segment of the Archean Abitibi Belt, Quebec. Part III: Plutonic and metamorphic evolution and geotectonic model, 1374.

Dixon, J.M., and Summers, J.M. Patterns of total and incremental strain in subsiding troughs: experimental centrifuged models of inter-diapir synclines, 1843.

Doig, R. Rb–Sr isotopic study of Archean gneisses north of the Cape Smith fold belt, Ungava, Quebec, 821.

Doig, R., see Fowler, A.D., 92.

Dormaar, J.F. Aliphatic carboxylic acids in buried Ah horizons in Alberta, Canada as paleoenvironmental indicators, 859.

Dostal, J., and Strong, D.F. Trace-element mobility during low-grade metamorphism and silicification of basaltic rocks from Saint John, New Brunswick, 431.

Dostal, J., Baragar, W.R.A., and Dupuy, C. Geochemistry and petrogenesis of basaltic rocks from Coppermine River area, Northwest Territories, 684.

Dostal, J., Dupuy, C., and Keppie, J.D. Uranium and thorium in Paleozoic rhyolites of Nova Scotia, 266.

Dreimanis, A., see Hicock, S.R., 510.

Duba, D., and Williams-Jones, A.E. Studies of burial metamorphism in the post-Taconic stage of the Appalachian orogen, southwestern Gaspé, 1152.

DuBerger, R., see Roy, D.W., 1613.

Dunlop, D.J. Paleomagnetism of Archean rocks from northwestern Ontario: Wabigoon gabbro, Wabigoon Subprovince, 1805.

Dunsiger, A.D., see Cochrane, N.A., 1195.

Dupuy, C., see Dostal, J., 266.

Dupuy, C., see Dostal, J., 684.

Dyck, W., and McCorkell, R.H. A study of uranium-rich reduction spheroids in sandstones from Pugwash Harbour, Nova Scotia, 1738.

Edwards, M.B. Melt-out till in the Edmonton area, Alberta, Canada: Discussion, 1758.

Eleftheriadis, G., see Mountrakis, D., 1673.

Ellis, R.M., Spence, G.D., Clowes, R.M., Waldron, D.A., Jones, I.F., Green, A.G., Forsyth, D.A., Mair, J.A., Berry, M.J., Mereu, R.F., Kanasewich E.R., Cumming, G.L., Hajnal, Z., Hyndman, R.D., McMechan, G.A., and Loncarevic, B.D. The Vancouver Island Seismic Project: a CO-CRUST onshore – offshore study of a convergent margin, 719.

Emerson, D. Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada, 160.

Emerson, D., see Vance, R.E., 364.

Emslie, R.F., see Park, J.K., 1818.

England, J. Isostatic adjustments in a full glacial sea, 895.

Erdmer, P., and Helmstaedt, H. Eclogite from central Yukon: a record of subduction at the western margin of ancient North America, 1389.

Fahrig, W.F., see Buchan, K.L., 246.

Fahrig, W.F., see Christie, K.W., 275.

Farrar, E., see Archibald, D.A., 1891.

Ferland, R., see Blais, J.A.R., 259.

Fletcher, T.P., see Bengtson, S., 525.

Fordjor, C.K., Bell, J.S., and Gough, D.I. Breakouts in Alberta and stress in the North American plate, 1445.

Forsyth, D.A., see Ellis, R.M., 719.

Fortier, M., see Palmer, H.C., 1456.

Foster, J.H., see Palmer, H.C., 1456.

Fowler, A.D., and Doig, R. The age and origin of Grenville Province uraniferous granites and pegmatites, 92.

Fox, R.C. Evolutionary implications of tooth replacement in the Paleocene mammal *Pararyctes*, 19.

Fox, R.C. New evidence on the relationships of the Tertiary insectivoran *Ankylodon* (Mammalia), 968.

Fox, R.C. Notes on the North American Tertiary marsupials *Herpetotherium* and *Peradectes*, 1565.

Freda, G.N., see Buchan, K.L., 246.

Freda, G.N., see Schwarz, E.J., 1725.

Frith, R.A., see Buchan, K.L., 246.

Fritz, P., see Turner, J.V., 599.

Fritz, P., see Turner, J.V., 616.

Fyffe, L.R. Age of the Brookville Gneiss and associated rocks, southeastern New Brunswick: Discussion, 892.

Galton, P.M., and Sues, H.-D. New data on pachycephalosaurid dinosaurs (Reptilia: Ornithischia) from North America, 462.

Gardner, J.S., see Sauchyn, D.J., 409.

Gaudette, H.E., see Olszewski, W.J., Jr., 893.

Geissman, J.W., see Letros, S., 548.

Geissman, J.W., Newberry, N.G., and Peacor, D.R. Discrete single-domain and pseudo-single-domain titanomagnetite particles in silicic glass of an ash-flow tuff, 334.

Geissman, J.W., Strangway, D.W., Tasillo-Hirt, A.M., and Jensen, L.S. Paleomagnetism of Late Archean metavolcanics and metasediments, Abitibi orogen, Canada: tholeiites of the Kinojevis Group, 436.
Geurts, M.-A., see Bourgeois, J.C., 1543.
Ghent, E.D., Stout, M.Z., and Raeside, R.P. Plagioclase – clinopyroxene – garnet – quartz equilibria and the geobarometry and geothermometry of garnet amphibolites from Mica Creek, British Columbia, 699.
Globensky, Y., see Bertrand, R., 66.
Glover, J.K., see Archibald, D.A., 1891.
Godwin, C.I., see Griffiths, J.R., 1000.
Gough, D.I., see Fordjor, C.K., 1445.
Goulet, N., see Dimroth, E., 1355.
Goulet, N., see Dimroth, E., 1374.
Grant, D.R., see McKeague, J.A., 37.
Gray, J.T., see Lauriol, B., 1488.
Green, A.G., see Ellis, R.M., 719.
Greenberg, D.A., see Scott, D.B., 1554.
Griffiths, J.R., and Godwin, C.I. Metallogeny and tectonics of porphyry copper – molybdenum deposits in British Columbia, 1000.
Guex, J., see Taylor, D.G., 1598.
Guilbault, J.-P., see Vincent, J.-S., 1694.
Habgood, T., see Vance, R.E., 364.
Hajnal, Z., see Ellis, R.M., 719.
Hall, R.L., and Howarth, M.K. *Protogrammoceras paltum* (Buckman), a late Pliensbachian (Jurassic) ammonite from Axel Heiberg Island, Canadian Arctic Archipelago, 1470.
Halls, H.C., see Stesky, R.M., 1.
Hebda, R.J., see Clague, J.J., 1314.
Hedinger, A.S., see Stelck, C.R., 1248.
Helmstaedt, H., see Erdmer, P., 1389.
Helmstaedt, H., see Raeside, R.P., 1496.
Héroux, Y., see Bertrand, R., 66.
Heusser, L.E. Palynology and paleoecology of postglacial sediments in an anoxic basin, Saanich Inlet, British Columbia, 873.
Hicock, S.R., and Armstrong, J.E. Four Pleistocene formations in southwest British Columbia: their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age, 1232.
Hicock, S.R., Dreimanis, A., and Broster, B.E. Submarine flow tills at Victoria, British Columbia: Reply, 510.
Hill, J.D., and Thomas, A. Correlation of two Helikian peralkaline granite – volcanic centres in central Labrador, 753.
Hillaire-Marcel, C., see Lamothe, M., 500.
Hofmann, H.J. Early Cambrian problematic fossils near June Lake, Mackenzie Mountains, N.W.T., 1513.
Holm, P.M., see Platt, R.G., 961.
Howarth, M.K., see Hall, R.L., 1470.
Howes, D.E. Late Quaternary sediments and geomorphic history of northern Vancouver Island, British Columbia, 57.
Hudson, H.M., see Rogerson, R.J., 377.
Humbert, L., see Bertrand, R., 66.
Hurst, J.M., see Pickerill, R.K., 1761.
Hurst, J.M., and Surlyk, F. Depositional environments along a carbonate ramp to slope transition in the Silurian of Washington Land, North Greenland, 473.
Hussey, E.M., see Dallmeyer, R.D., 355.
Hyndman, R.D., see Ellis, R.M., 719.
Hyndman, R.D., see Yorath, C.J., 135.
Imreh, L., see Dimroth, E., 1355.
Imreh, L., see Dimroth, E., 1374.
Jayasinghe, N.R., see Dallmeyer, R.D., 1639.
Jensen, L.S., see Geissman, J.W., 436.
Jensen, L.S., see Letros, S., 548.
Jensen, O.G., and Papazis, P.P. Homomorphic deconvolution of potential field data in one and two dimensions, 1260.
Johnston, D.I., and Chatterton, B.D.E. Some silicified Middle Silurian rostroconchs (Mollusca) from the Mackenzie Mountains, N.W.T., Canada, 844.
Jones, H.G., see Ouellet, M., 23.

Jones, I.F., see Ellis, R.M., 719.

Josenhans, H.W. Evidence of pre-late Wisconsinan glaciations on Labrador Shelf – Cartwright Saddle region, 225.

Kachadoorian, R., see Bartsch-Winkler, S., 802.

Kanasewich, E.R., see Ellis, R.M., 719.

Karlstrom, K.E., van der Pluijm, B.A., and Williams, P.F. Structural interpretation of the eastern Notre Dame Bay area, Newfoundland: regional post-Middle Silurian thrusting and asymmetrical folding: Reply, 1353.

Karlstrom, K.E., van der Pluijm, B.A., and Williams, P.F. Sedimentology of Upper Ordovician – Silurian sequences on New World Island, Newfoundland: separate fault-controlled basins?: Discussion, 1757.

Karrow, P.F., see Turner, J.V., 599.

Kean, B.F., see Dallmeyer, R.D., 1639.

Kearney, M.S., and Luckman, B.H. Postglacial vegetational history of Tonquin Pass, British Colombia, 776.

Keister, C.M., see Björck, S., 1536.

Keppie, J.D., see Dostal, J., 266.

Kerans, C. Timing of emplacement of the Muskox intrusion: constraints from Coppermine homocline cover strata, 673.

Kevan, D.K.M., and Wighton, D.C. Further observations on North American Tertiary orthopteroids (Insecta: Grylloptera), 217.

Kilias, A., see Mountrakis, D., 1673.

Klappa, C.F., see Paquette, J., 1501.

Kobluk, D.R. Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada: Reply, 1350.

Kodama, H., see McKeague, J.A., 37.

Kolata, D.R. ***Cataraquicrinus elongatus***, a new disparid inadunate crinoid from the Middle Ordovician of Ontario, 1609.

Kostaschuk, R.A., and Smith, D.G. Late Quaternary lacustrine and deltaic sedimentation near Banff, Alberta, 1834.

Krogh, T.E., see Percival, J.A., 830.

Krouse, H.R., see Cecile, M.P., 1528.

Lamothe, M., Hillaire-Marcel, C., et Pagé, P. Découverte de concrétions calcaires striées dans le till de Gentilly, basses-terres du Saint-Laurent, Québec, 500.

Lancelot, J.R., see de Saint-Andre, B., 236.

Lauriol, B., et Gray, J.T. Un lac glaciaire dans la région du lac Minto—Nouveau-Québec, 1488.

Laws, R.A., see Taylor, D.G., 1598.

Leckie, D.A., and McCann, S.B. Late Quaternary glacial history of the Hermitage area of southern Newfoundland, 399.

Legun, A.S., and Rust, B.R. The Upper Carboniferous Clifton Formation of northern New Brunswick: coal-bearing deposits of a semi-arid aluvial plain: Reply, 1215.

Lerbekmo, J.F., see Baadsgaard, H., 1282.

Letros, S., Strangway, D.W., Tasillo-Hirt, A.M., Geissman, J.W., and Jensen, L.S. Aeromagnetic interpretation of the Kirkland Lake – Larder Lake portion of the Abitibi Greenstone Belt, Ontario, 548.

Lodwick, G.D., see Blais, J.A.R., 259.

Loncarevic, B.D., see Ellis, R.M., 719.

Long, B.F., see Cataliotti-Valdina, D., 184.

Lopez-Martinez, M., and York, D. Further thermochronometric unravelling of the age and palaeomagnetic record of the southwest Grenville Province, 953.

Lortie, G., see Vincent, J.-S., 1694.

Loveridge, W.D., see Woodsworth, G.J., 1475.

Luckman, B.H., see Kearney, M.S., 776.

Lucotte, M., and d'Anglejan, B. Forms of phosphorus and phosphorus – iron relationships in the suspended matter of the St. Lawrence Estuary, 1880.

Lusk, J., and Ostwald, J. Analysis of pyrrhotite properties accompanying recrystallization of metamorphosed nickel sulfide ore from Kambalda, Western Australia, 113.

Luternauer, J.L., see Clague, J.J., 1314.

Lyall, R.G., see Teskey, W.F., 1586.

Mackay, J.R. Downward water movement into frozen ground, western arctic coast, Canada, 120.

Mackay, J.R., and Matthews, J.V., Jr. Pleistocene ice and sand wedges, Hooper Island, Northwest Territories, 1087.

MacLean, W.H., see Meyers, R.E., 1291.

Mair, J.A., see Ellis, R.M., 719.

Mareschal, J.-C., Musser, J., and Bailey, R.C. Geomagnetic variation studies in the southern Appalachians: preliminary results, 1434.

Mason, A.G., and Rust, B.R. Lacustrine stromatolites and algal laminites in a Pennsylvanian coal-bearing succession near Sydney, Nova Scotia, Canada, 1111.

Mathews, W.H. Early Tertiary resetting of potassium – argon dates in the Kootenay Arc, southeastern British Columbia, 867.
Matthews, J.V., Jr., see Mackay, J.R., 1087.
McCabe, C., and Van der Voo, R. Paleomagnetic results from the upper Keweenawan Chequamegon Sandstone: implications for red bed diagenesis and Late Precambrian apparent polar wander of North America, 105.
McCann, S.B., see Leckie, D.A., 399.
McCorkell, R.H., see Dyck, W., 1738.
McKeague, J.A., Grant, D.R., Kodama, H., Beke, G.J., and Wang, C. Properties and genesis of a soil and the underlying gibbsite-bearing saprolite, Cape Breton Island, Canada, 37.
McMechan, G., and Price, B. Acoustic waves: a finite difference film, 506.
McMechan, G.A., see Ellis, R.M., 719.
McMechan, G.A., and Spence, G.D. *P*-wave velocity structure of the Earth's crust beneath Vancouver Island, 742.
McMechan, M.E., see Morris, W.A., 561.
Medford, G.A., Armstrong, R.L., and Osatenko, M.J. Rb – Sr dating of Paleozoic(?), Mesozoic, and Cenozoic intrusive rocks, Okanagan Lake region, southern British Columbia, Canada, 1579.
Medioli, F., see Ryall, P.J.C., 764.
Menvielle, M., see Tarits, P., 537.
Mereu, R.F., see Ellis, R.M., 719.
Metcalfe, P., and Clark, G.S. Rb – Sr whole-rock age of the Klondike Schist, Yukon Territory, 886.
Meyers, R.E., and MacLean, W.H. The geology of the New Insco copper deposit, Noranda district, Quebec, 1291.
Miller, H.G. A geophysical interpretation of the geology of Conception Bay, Newfoundland, 1421.
Mitchell, R.H. The Ile Bizard intrusion, Montreal, Quebec—kimberlite or lamprophyre?: Discussion, 1493.
Mitchell, R.H., see Platt, R.G., 961.
Mitchell, R.H., Platt, R.G., and Cheadle, S.P. A gravity study of the Coldwell Complex, northwestern Ontario and its petrological significance, 1631.
Morris, W.A., and McMechan, M.E. Paleomagnetism of the Middle Proterozoic Mount Nelson Formation: evidence for a regional remagnetization event in the Late Precambrian of the Cordillera, 561.
Mountrakis, D., Sapountzis, E., Kilias, A., Eleftheriadis, G., and Christofides, G. Paleogeographic conditions in the western Pelagonian margin in Greece during the initial rifting of the continental area, 1673.
Muecke, G.K., see Chatterjee, A.K., 420.
Mugridge, S.-j., and Young, H.R. Disintegration of shale by cyclic wetting and drying and frost action, 568.
Mugridge, S.-j., and Young, H.R. Erratum: Disintegration of shale by cyclic wetting and drying and frost action, 1217.
Murthy, G.S. Paleomagnetism of the Deadman's Bay diabase dikes from northeastern central Newfoundland, 195.
Murthy, G.S. Paleomagnetism of diabase dikes from the Bonavista Bay area of northeastern central Newfoundland, 206.
Musser, J., see Mareschal, J.-C., 1434.
Mustoe, G.E. Fossil crabs in glacial drift at Bellingham, Washington: evidence of mid-Tertiary marine deposition, 987.
Narod, B.B., and Clarke, G.K.C. UHF radar system for airborne surveys of ice thickness, 1073.
Newberry, N.G., see Geissman, J.W., 334.
Niemeier, W., see Teskey, W.F., 1586.
Nowlan, G.S. Biostratigraphic, paleogeographic, and tectonic implications of Late Ordovician conodonts from the Grog Brook Group, northwestern New Brunswick, 651.
Nur, A., see Ben-Avraham, Z., 994.
O'Brien, S.J., see Dallmeyer, R.D., 355.
Occhietti, S., see Vincent, J.-S., 1694.
Odom, A.L., see Dallmeyer, R.D., 1639.
O'Driscoll, C.F., see Dallmeyer, R.D., 355.
Olszewski, W.J., Jr., and Gaudette, H.E. Age of the Brookville Gneiss and associated rocks, southeastern New Brunswick: Reply, 893.
Osatenko, M.J., see Medford, G.A., 1579.
Ostwald, J., see Lusk, J., 113.
Ouellet, M. Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada: Discussion, 1619.
Ouellet, M., and Jones, H.G. Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada, 23.
Ouyang, S. Errata: Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China, 344.
Ovenshine, A.T., see Bartsch-Winkler, S., 802.
Pagé, P., see Lamothe, M., 500.

Pajari, G.E., Jr., see Currie, K.L., 1351.

Palmer, H.C., Baragar, W.R.A., Fortier, M., and Foster, J.H. Paleomagnetism of Late Proterozoic rocks, Victoria Island, Northwest Territories, Canada, 1456.

Papazis, P.P., see Jensen, O.G., 1260.

Paquette, J., Stearn, C.W., and Klappa, C.F. An enigmatic fossil of sponge affinities from Middle Ordovician rocks of western Newfoundland, 1501.

Park, J.K., and Emslie, R.F. Paleomagnetic history of the Mealy dykes of Labrador, Canada, 1818.

Parrish, R.R., and Wheeler, J.O. A U – Pb zircon age from the Kuskanax batholith, southeastern British Columbia, 1751.

Parrish, R.R., see Woodsworth, G.J., 1475.

Peacor, D.R., see Geissman, J.W., 334.

Percival, J.A., and Krogh, T.E. U – Pb zircon geochronology of the Kapuskasing structural zone and vicinity in the Chapleau – Foleyet area, Ontario, 830.

Pickerill, R.K., see Currie, K.L., 1351.

Pickerill, R.K., and Hurst, J.M. Sedimentary facies, depositional environments, and faunal associations of the lower Llandovery (Silurian) Beechill Cove Formation, Arisaig, Nova Scotia, 1761.

Platt, R.G., see Mitchell, R.H., 1631.

Platt, R.G., Mitchell, R.H., and Holm, P.M. Marathon dikes: Rb – Sr and K – Ar geochronology of ultrabasic lamprophyres from the vicinity of McKellar Harbour, northwestern Ontario, Canada, 961.

Powell, R.D. Submarine flow tills at Victoria, British Columbia: Discussion, 509.

Price, B., see McMechan, G., 506.

Price, R.A., see Archibald, D.A., 1891.

Raeside, R.P., see Ghent, E.D., 699.

Raeside, R.P., and Helmstaedt, H. The Ile Bizard intrusion, Montreal, Quebec—kimberlite or lamprophyre?: Reply, 1496.

Raeside, R.P., and Simony, P.S. Stratigraphy and deformational history of the Scrip Nappe, Monashee Mountains, British Columbia, 639.

Rivers, T. Progressive metamorphism of pelitic and quartzofeldspathic rocks in the Grenville Province of western Labrador—tectonic implications of bathozone 6 assemblages, 1791.

Robertson, P.B., and Sweeney, J.F. Haughton impact structure: structural and morphological aspects, 1134.

Rocheleau, M., see Dimroth, E., 1355.

Rocheleau, M., see Dimroth, E., 1374.

Rogerson, R.J., and Hudson, H.M. Quartz surface microtextures and grain-size characteristics of Quaternary sediments in the Porcupine Strand area of coastal Labrador, Newfoundland, Canada, 377.

Rosencrantz, E. The structure of sheeted dikes and associated rocks in North Arm massif, Bay of Islands ophiolite complex, and the intrusive process at oceanic spreading centers, 787.

Rowland, S.M. Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada: Discussion, 1348.

Roy, D.W., et DuBerger, R. Relations possibles entre la microseismicité récente et l'astroblème de Charlevoix, 1613.

Russell, D.J., and Telford, P.G. Revisions to the stratigraphy of the Upper Ordovician Collingwood beds of Ontario—a potential oil shale, 1780.

Russell, L.S. Evidence for an unconformity at the Scollard – Battle contact, Upper Cretaceous strata, Alberta, 1219.

Rust, B.R., see Legun, A.S., 1215.

Rust, B.R., see Mason, A.G., 1111.

Rust, B.R., see Zaitlin, B.A., 1098.

Rutter, N., see Vincent, J.-S., 1694.

Ryall, P.J.C., Blanchard, M.-C., and Medioli, F. A subsided island west of Flores, Azores, 764.

Sapountzis, E., see Mountrakis, D., 1673.

Sauchyn, D.J., and Gardner, J.S. Morphometry of open rock basins, Kananaskis area, Canadian Rocky Mountains, 409.

Sawyer, E.W., Barnes, S.-J., and Buck, M.J. Pillow shelves: determination of bedding direction and structural facing direction from shelves in deformed pillow lavas, 1483.

Schafer, C.T., and Smith, J.N. River discharge, sedimentation, and benthic environmental variations in Miramichi Inner Bay, New Brunswick, 388.

Schwarz, E.J., and Freda, G.N. Paleomagnetism and time-stratigraphic correlation of Proterozoic redbeds of the Labrador Trough and outliers of northern Quebec, 1725.

Scott, D.B., and Greenberg, D.A. Relative sea-level rise and tidal development in the Fundy tidal system, 1554.

Scott, S.D., see Urabe, T., 1862.

Seguin, M.K. Application géophysique à l'interprétation structurale de la région du lac Bécancour, Thetford Mines, Québec, 1327.

Seguin, M.K., Sharma, K.N.M., Woussen, G., St. Seymour, K., and Symons, D.T.A. Paleomagnetism of Archean volcanics and Proterozoic dikes in La Grande Riviere area of Nouveau-Quebec, 339.
Shafiqullah, M., see Damon, P.E., 1052.
Shakur, M.A., see Cecile, M.P., 1528.
Sharma, K.N.M., see Seguin, M.K., 339.
Shaw, J. Melt-out till in the Edmonton area, Alberta, Canada: Reply, 1760.
Sideris, M., see Teskey, W.F., 1586.
Simony, P.S., see Raeside, R.P., 639.
Slawson, W.F. Isotopic composition of lead from a paleo-island arc: Shasta, California, 1521.
Smith, B. Inclinaison magnétique de roches basaltiques de la dorsale est-pacifique à 21°N et validité des critères de polarité, 322.
Smith, D.G., see Kostaschuk, R.A., 1834.
Smith, J.N., see Schafer, C.T., 388.
Smith, P.L. The Pliensbachian ammonite *Dayiceras dayiceroides* and Early Jurassic paleogeography, 86.
Smith, P.L., see Taylor, D.G., 1598.
Southwick, D.L., and Day, W.C. Geology and petrology of Proterozoic mafic dikes, north-central Minnesota and western Ontario, 622.
Spence, G.D., see Ellis, R.M., 719.
Spence, G.D., see McMechan, G.A., 742.
Starkey, J. A crystallographic approach to the calculation of orientation diagrams, 932.
Stearn, C.W., see Paquette, J., 1501.
Steer, P., see Woo, M.-k., 978.
Stelck, C.R., and Hedinger, A.S. Foraminifera of the lower part of the Sully Formation (upper Albian), northeastern British Columbia, 1248.
Stesky, R.M., and Halls, H.C. Structural analysis of shatter cones from the Slate Islands, northern Lake Superior, 1.
Storer, J.E. A new species of the artiodactyl *Heptacodon* from the Cypress Hills Formation, Lac Pelletier, Saskatchewan, 1344.
Stout, M.Z., see Ghent, E.D., 699.
Strangway, D.W., see Geissman, J.W., 436.
Strangway, D.W., see Letros, S., 548.
Strong, D.F., see Chatterjee, A.K., 420.
Strong, D.F., see Dostal, J., 431.
St. Seymour, K., see Seguin, M.K., 339.
Studemeister, P.A. The greenschist facies of an Archean assemblage near Wawa, Ontario, 1409.
Stupavsky, M., and Symons, D.T.A. Penokean remagnetization of the basal Huronian Dollyberry Lake basalts near Elliot Lake, Ontario, 49.
Sues, H.-D., see Galton, P.M., 462.
Sullivan, R.W., see Woodsworth, G.J., 1475.
Summers, J.M., see Dixon, J.M., 1843.
Sun, D.-l., see Wang, Y.-g., 1646.
Surlyk, F., see Hurst, J.M., 473.
Sweeney, J.F., see Robertson, P.B., 1134.
Symons, D.T.A. New paleomagnetic data for the Triassic Guichon batholith of south-central British Columbia and their bearing on Terrane I tectonics, 1340.
Symons, D.T.A., see Seguin, M.K., 339.
Symons, D.T.A., see Stupavsky, M., 49.
Tarits, P., et Menvielle, M. Étude du champ magnétique anormal d'origine intralithosphérique, 537.
Tasillo-Hirt, A.M., see Geissman, J.W., 436.
Tasillo-Hirt, A.M., see Letros, S., 548.
Taylor, D.G., Smith, P.L., Laws, R.A., and Guex, J. The stratigraphy and biofacies trends of the Lower Mesozoic Gabbs and Sunrise formations, west-central Nevada, 1598.
Telford, P.G., see Russell, D.J., 1780.
Teskey, W.F., Niemeier, W., Sideris, M., and Lyall, R.G. Stability monitoring of a stationary VLBI antenna, 1586.
Thomas, A., see Hill, J.D., 753.
Tooker, E.W. Correlation of metal occurrence and terrane attributes in the northwestern conterminous United States, 1030.
Turner, J.V., and Fritz, P. Enriched ^{13}C composition of interstitial waters in sediments of a freshwater lake, 616.
Turner, J.V., Fritz, P., Karrow, P.F., and Warner, B.G. Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments, 599.

Urabe, T., and Scott, S.D. Geology and footwall alteration of the South Bay massive sulphide deposit, northwestern Ontario, Canada, 1862.

van de Poll, H.W. The Upper Carboniferous Clifton Formation of northern New Brunswick: coal-bearing deposits of a semi-arid alluvial plain: Discussion, 1212.

van der Pluijm, B.A., see Karlstrom, K.E., 1353.

van der Pluijm, B.A., see Karlstrom, K.E., 1757.

Van der Voo, R., see McCabe, C., 105.

Vance, R.E., Emerson, D., and Habgood, T. A mid-Holocene record of vegetative change in central Alberta, 364.

Vincent, J.-S., Occhietti, S., Rutter, N., Lortie, G., Guilbault, J.-P., and de Boutray, B. The late Tertiary – Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago, 1694.

Waldron, D.A., see Ellis, R.M., 719.

Wallace, P.I., and Clifford, P.M. Kink folds at Upper Manitou Lake, northwestern Ontario, 1305.

Wang, C., see McKeague, J.A., 37.

Wang, Y.-g., and Sun, D.-l. A survey of the Jurassic System of China, 1646.

Warner, B.G., see Turner, J.V., 599.

Wheeler, J.O., see Parrish, R.R., 1751.

Wighton, D.C., see Kevan, D.K.M., 217.

Williams, P.F., see Karlstrom, K.E., 1353.

Williams, P.F., see Karlstrom, K.E., 1757.

Williams-Jones, A.E., see Duba, D., 1152.

Wilson, M.V.H. Digitizing outlines of fossil specimens using video frame capture, 1747.

Wilton, D.H.C. The geology and structural history of the Cape Ray Fault Zone in southwestern Newfoundland, 1119.

Woo, M.-k., and Steer, P. Slope hydrology as influenced by thawing of the active layer, Resolute, N.W.T., 978.

Woodsworth, G.J., Loveridge, W.D., Parrish, R.R., and Sullivan, R.W. Uranium – lead dates from the Central Gneiss Complex and Ecstall pluton, Prince Rupert map area, British Columbia, 1475.

Woussen, G., see Seguin, M.K., 339.

Yorath, C.J., and Hyndman, R.D. Subsidence and thermal history of Queen Charlotte Basin, 135.

York, D., see Lopez-Martinez, M., 953.

Young, H.R., see Mugridge, S.-j., 568.

Young, H.R., see Mugridge, S.-j., 1217.

Zaitlin, B.A., and Rust, B.R. A spectrum of alluvial deposits in the Lower Carboniferous Bonaventure Formation of western Chaleur Bay area, Gaspé and New Brunswick, Canada, 1098.

CANADIAN JOURNAL OF EARTH SCIENCES

JOURNAL CANADIEN DES SCIENCES DE LA TERRE

VOLUME 20, 1983

Subject Index / Index des matières[1]

absolute age *see also* geochronology; isotopes
absolute age—dates
basalts: A subsided island west of Flores, Azores
(Ryall, Patrick J. C., *et al.*) 5: 764-775
— Regional stratigraphy and age of Chilcotin Group basalts, south-central British Columbia
(Bevier, Mary Lou) 4: 515-524
bentonite: Rb-Sr and U-Pb dating of bentonites
(Baadsgaard, H., *et al.*) 8: 1282-1290
carbonates: Discovery of strained calcareous concretions in the Gentilly Till, Saint Lawrence Lowlands, Quebec
(Lamothe, M., *et al.*) 3: 500-505
crystalline rocks: Chronology of tectonothermal activity in the western Avalon Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 3: 355-363
— Geochronology and tectonic implications of magmatism and metamorphism, southern Kootenay Arc and neighbouring regions, southeastern British Columbia; Part I, Jurassic to mid-Cretaceous
(Archibald, D. A., *et al.*) 12: 1891-1913
drift: Four Pleistocene formations in Southwest British Columbia; their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age
(Hicock, Stephen R., *et al.*) 8: 1232-1247
gabbro: Further thermochronometric unravelling of the age and palaeomagnetic record of the Southwest Grenville Province
(Lopez-Martinez, Margarita, *et al.*) 6: 953-960
gneisses: Rb-Sr isotopic study of Archean gneisses north of the Cape Smith fold belt, Ungava, Quebec
(Doig, Ronald) 5: 821-829
— The Archean gneiss complex of northern Labrador; 2, Mineral ages, secondary isochrons, and diffusion of strontium during polymetamorphism of the Uivak Gneisses
(Collerson, Kenneth D.) 5: 707-718
intrusive rocks: Rb-Sr dating of Paleozoic(?), Mesozoic, and Cenozoic intrusive rocks, Okanagan Lake region, southern British Columbia, Canada
(Medford, G. A., *et al.*) 10: 1579-1585
lamprophyres: Marathon dikes; Rb-Sr and K-Ar geochronology of ultrabasic lamprophyres from the vicinity of McKellar Harbour, northwestern Ontario, Canada
(Platt, R. Garth, *et al.*) 6: 961-967
metaigneous rocks: The geology and structural history of the Cape Ray fault zone in southwestern Newfoundland
(Wilton, Derek H. C.) 7: 1119-1133
metarhyolite: Rb-Sr whole-rock age of the Klondike Schist, Yukon Territory
(Metcalfe, P., *et al.*) 5: 886-891
metasedimentary rocks: Early Tertiary resetting of potassium-argon dates in the Kootenay Arc, southeastern British Columbia
(Mathews, W. H.) 5: 867-872
organic residues: The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542
sediments: A mid-Holocene record of vegetative change in central Alberta
(Vance, Robert E., *et al.*) 3: 364-376
— Holocene history of the estuarine area surrounding Portage, Alaska as recorded in a 93 m core
(Bartsch-Winkler, Susan, *et al.*) 5: 802-820
— Late Quaternary sediments and geomorphic history of northern Vancouver Island, British Columbia
(Howes, D. E.) 1: 57-65
shells: Isostatic adjustments in a full glacial sea
(England, John) 6: 895-917
— Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada
(Emerson, Donald) 1: 160-162
zircon: A U-Pb zircon age from the Kuskanax Batholith, southeastern British Columbia
(Parrish, Randall R., *et al.*) 11: 1751-1756
— U-Pb geochronology of the Bokan Mountain peralkaline granite, southeastern Alaska
(de Saint-Andre, Bruno, *et al.*) 2: 236-245
— U-Pb zircon geochronology of the Kapuskasing structural zone and vicinity in the Chapleau-Foleyet area, Ontario
(Percival, John A., *et al.*) 5: 830-843
— Uranium-lead dates from the Central Gneiss Complex and Ecstall Pluton, Prince Rupert map area, British Columbia
(Woodsworth, G. J., *et al.*) 9: 1475-1483
absolute age—interpretation
contact metamorphism: Age and contact-metamorphic effects of the Overflow Pond Granite; an undeformed pluton in the Dunnage Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 11: 1639-1645
isochrons: Rb-Sr geochronology of the Coldwell Complex, northwestern Ontario, Canada [discussion]
(Blenkinsop, John, *et al.*) 9: 1499-1500
lake sediments: Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments
(Turner, J. V., *et al.*) 4: 599-615
mineralization: Isotopic composition of lead from a paleo-island arc; Shasta, California
(Slawson, W. F.) 10: 1521-1527

[1]Prepared from the GeoRef data base at the American Geological Institute, 4220 King Street, Alexandria, VA 22302, U.S.A.

acoustical methods *see under* geophysical methods

acoustical surveys *see under* geophysical surveys *under* Atlantic Ocean

aeromagnetic surveys *see* magnetic surveys *under* geophysical surveys *under* Canadian Shield; Georgia; Ontario

Alaska—geochronology
Jurassic: U-Pb geochronology of the Bokan Mountain peralkaline granite, southeastern Alaska
(de Saint-Andre, Bruno, *et al.*) 2: 236-245

Alaska—stratigraphy
Holocene: Holocene history of the estuarine area surrounding Portage, Alaska as recorded in a 93 m core
(Bartsch-Winkler, Susan, *et al.*) 5: 802-820

Alberta—geomorphology
weathering: Morphometry of open rock basins, Kananaskis area, Canadian Rocky Mountains
(Sauchyn, David J., *et al.*) 3: 409-419

Alberta—paleontology
Insecta: Further observations on North American Tertiary orthopteroids (Insecta; Grylloptera)
(Kevan, D. Keith M., *et al.*) 2: 217-224
Mammalia: Evolutionary implications of tooth replacement in the Paleocene mammal Pararyctes
(Fox, Richard C.) 1: 19-22
Pisces: Digitizing outlines of fossil specimens using video frame capture
(Wilson, Mark V. H.) 11: 1747-1751
Reptilia: New data on pachycephalosaurid dinosaurs (Reptilia; Ornithischia) from North America
(Galton, Peter M., *et al.*) 3: 462-472

Alberta—sedimentary petrology
sediments: Loess in the Cypress Hills, Alberta, Canada
(Catto, N. R.) 7: 1159-1167

Alberta—soils
Paleosols: Aliphatic carboxylic acids in buried Ah horizons in Alberta, Canada as paleoenvironmental indicators
(Dormaar, J. F.) 5: 859-866

Alberta—stratigraphy
Cretaceous: Evidence for an unconformity at the Scollard-Battle contact, Upper Cretaceous strata, Alberta
(Russell, Loris S.) 8: 1219-1231
Holocene: A mid-Holocene record of vegetative change in central Alberta
(Vance, Robert E., *et al.*) 3: 364-376
— Aliphatic carboxylic acids in buried Ah horizons in Alberta, Canada as paleoenvironmental indicators
(Dormaar, J. F.) 5: 859-866
Pleistocene: Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada
(Emerson, Donald) 1: 160-162
— Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada [discussion]
(Ouellet, Marcel) 10: 1619-1620
— Melt-out till in the Edmonton area, Alberta, Canada [discussion and reply]
(Edwards, Marc B., *et al.*) 11: 1758-1760
Quaternary: Late Quaternary lacustrine and deltaic sedimentation near Banff, Alberta
(Kostaschuk, R. A., *et al.*) 12: 1834-1842

Alberta—structural geology
deformation: An application of photoelastic models to explain microfractures and joints in carbonate strata
(Das Gupta, U., *et al.*) 11: 1682-1693
— Breakouts in Alberta and stress in the North American Plate
(Fordjor, C. K., *et al.*) 9: 1445-1455

algal flora—diatom flora
Cenozoic: The late Tertiary - Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago
(Vincent, J. S., *et al.*) 11: 1694-1712
Holocene: Holocene history of the estuarine area surrounding Portage, Alaska as recorded in a 93 m core
(Bartsch-Winkler, Susan, *et al.*) 5: 802-820
— The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542

Alps *see also* the individual countries

aluminum—abundance
lake sediments: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

ammonites *see* Mollusca

ammonoids *see under* mollusks

Andes *see also* the individual countries

Appalachians *see also* the individual states and provinces

Appalachians—geochronology
Devonian: Chronology of tectonothermal activity in the western Avalon Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 3: 355-363

Appalachians—petrology
intrusions: Age and contact-metamorphic effects of the Overflow Pond Granite; an undeformed pluton in the Dunnage Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 11: 1639-1645

Appalachians—tectonophysics
crust: Geomagnetic variation studies in the Southern Appalachians; preliminary results
(Mareschal, Jean-Claude, *et al.*) 9: 1434-1444

Archean *see also under* geochronology *under* Canadian Shield; Labrador; Ontario; Quebec; *see also under* stratigraphy *under* Canadian Shield; Ontario

Archean—structural geology
tectonics: Patterns of total and incremental strain in subsiding troughs; experimental centrifuged models of inter-diapir synclines
(Dixon, J. M., *et al.*) 12: 1843-1861

Arctic Ocean—stratigraphy
changes of level: Isostatic adjustments in a full glacial sea
(England, John) 6: 895-917

Arctic region *see also* the individual countries; Greenland

Arctic region—tectonophysics
isostasy: Isostatic adjustments in a full glacial sea
(England, John) 6: 895-917

Arthropoda—Crustacea
Oligocene: Fossil crabs in glacial drift at Bellingham, Washington; evidence of mid-Tertiary marine deposition
(Mustoe, G. E.) 6: 987-990

Asia *see also* China; Iran
Atlantic Ocean—geophysical surveys
acoustical surveys: Remote acoustic classification of marine sediments with application to offshore Newfoundland (Cochrane, N. A., *et al.*) 7: 1195-1211
seismic surveys: Evidence of pre-late Wisconsinan glaciations on Labrador Shelf; Cartwright Saddle region (Josenhans, H. W.) 2: 225-235
— Shallow crustal structure of the continental margin off Nova Scotia (Brocher, Thomas M.) 11: 1657-1672
Atlantic Ocean—oceanography
continental slope: Shallow crustal structure of the continental margin off Nova Scotia (Brocher, Thomas M.) 11: 1657-1672
ocean circulation: Relative sea-level rise and tidal development in the Fundy tidal system (Scott, David B., *et al.*) 10: 1554-1564
ocean floors: A subsided island west of Flores, Azores (Ryall, Patrick J. C., *et al.*) 5: 764-775
Atlantic Ocean Islands *see also* Azores
Atlantic region *see also* the individual countries
Australia *see also* Western Australia
automatic data processing—geophysical methods
acoustical methods: Acoustic waves; a finite difference film (McMechan, George, *et al.*) 3: 506-508
methods: Homomorphic deconvolution of potential field data in one and two dimensions (Jensen, Oliver G., *et al.*) 8: 1260-1281
remote sensing: UHF radar system for airborne surveys of ice thickness (Narod, B. Barry, *et al.*) 7: 1073-1086
automatic data processing—paleontology
morphology: Digitizing outlines of fossil specimens using video frame capture (Wilson, Mark V. H.) 11: 1747-1751
automatic data processing—structural geology
structural analysis: A crystallographic approach to the calculation of orientation diagrams (Starkey, John) 6: 932-952
Azores—oceanography
ocean floors: A subsided island west of Flores, Azores (Ryall, Patrick J. C., *et al.*) 5: 764-775
Baltic region *see also* the individual countries
barite deposits *see also under* economic geology *under* Canada
basalts *see under* igneous rocks
batholiths *see under* intrusions
biogeography—conodonts
Ordovician: Biostratigraphic, paleogeographic, and tectonic implications of Late Ordovician conodonts from the Grog Brook Group, northwestern New Brunswick (Nowlan, Godfrey S.) 4: 651-671
biogeography—mollusks
Jurassic: The Pliensbachian ammonite Dayiceras dayiceroides and Early Jurassic paleogeography (Smith, Paul L.) 1: 86-91
brachiopods—paleoecology
Silurian: Sedimentary facies, depositional environments, and faunal associations of the lower Llandovery (Silurian) Beechill Cove Formation, Arisaig, Nova Scotia (Pickerill, R. K., *et al.*) 12: 1761-1779
British Columbia—economic geology
copper ores: Metallogeny and tectonics of porphyry copper-molybdenum deposits in British Columbia (Griffiths, John R., *et al.*) 6: 1000-1018
molybdenum ores: Metallogeny and tectonics of porphyry copper-molybdenum deposits in British Columbia (Griffiths, John R., *et al.*) 6: 1000-1018
British Columbia—geochronology
Cretaceous: Uranium-lead dates from the Central Gneiss Complex and Ecstall Pluton, Prince Rupert map area, British Columbia (Woodsworth, G. J., *et al.*) 9: 1475-1483
Jurassic: A U-Pb zircon age from the Kuskanax Batholith, southeastern British Columbia (Parrish, Randall R., *et al.*) 11: 1751-1756
Mesozoic: Geochronology and tectonic implications of magmatism and metamorphism, southern Kootenay Arc and neighbouring regions, southeastern British Columbia; Part I, Jurassic to mid-Cretaceous (Archibald, D. A., *et al.*) 12: 1891-1913
Neogene: Regional stratigraphy and age of Chilcotin Group basalts, south-central British Columbia (Bevier, Mary Lou) 4: 515-524
Paleocene: Early Tertiary resetting of potassium-argon dates in the Kootenay Arc, southeastern British Columbia (Mathews, W. H.) 5: 867-872
Phanerozoic: Rb-Sr dating of Paleozoic(?), Mesozoic, and Cenozoic intrusive rocks, Okanagan Lake region, southern British Columbia, Canada (Medford, G. A., *et al.*) 10: 1579-1585
British Columbia—geomorphology
fluvial features: Sedimentary environments and postglacial history of the Fraser Delta and lower Fraser Valley, British Columbia (Clague, John J., *et al.*) 8: 1314-1326
British Columbia—geophysical surveys
seismic surveys: P-wave velocity structure of the Earth's crust beneath Vancouver Island (McMechan, George A., *et al.*) 5: 742-752
— The Vancouver Island Seismic Project; a CO-CRUST onshore-offshore study of a convergent margin (Ellis, R. M., *et al.*) 5: 719-741
British Columbia—oceanography
continental shelf: The Vancouver Island Seismic Project; a CO-CRUST onshore-offshore study of a convergent margin (Ellis, R. M., *et al.*) 5: 719-741
British Columbia—petrology
metamorphic rocks: Plagioclase-clinopyroxene-garnet-quartz equilibria and the geobarometry and geothermometry of garnet amphibolites from Mica Creek, British Columbia (Ghent, Edward D., *et al.*) 5: 699-706
British Columbia—sedimentary petrology
sedimentation: Submarine flow tills at Victoria, British Columbia [discussion and reply] (Powell, Ross D., *et al.*) 3: 509-513
British Columbia—seismology
crust: P-wave velocity structure of the Earth's crust beneath Vancouver Island (McMechan, George A., *et al.*) 5: 742-752

— The Vancouver Island Seismic Project; a CO-CRUST onshore-offshore study of a convergent margin
(Ellis, R. M., *et al.*) 5: 719-741

British Columbia—stratigraphy
Cretaceous: Foraminifera of the lower part of the Sully Formation (upper Albian), northeastern British Columbia
(Stelck, C. R., *et al.*) 8: 1248-1259
Holocene: Postglacial vegetational history of Tonquin Pass, British Columbia
(Kearney, M. S., *et al.*) 5: 776-786
Pleistocene: Four Pleistocene formations in Southwest British Columbia; their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age
(Hicock, Stephen R., *et al.*) 8: 1232-1247
Proterozoic: Paleomagnetism of the middle Proterozoic Mount Nelson Formation; evidence for a regional remagnetization event in the late Precambrian of the Cordillera
(Morris, W. A., *et al.*) 4: 561-567
— Stratigraphy and deformational history of the Scrip Nappe, Monashee Mountains, British Columbia
(Raeside, Robert P., *et al.*) 4: 639-650
Quaternary: Late Quaternary sediments and geomorphic history of northern Vancouver Island, British Columbia
(Howes, D. E.) 1: 57-65
— Palynology and paleoecology of postglacial sediments in an anoxic basin, Saanich Inlet, British Columbia
(Heusser, Linda E.) 5: 873-885
Triassic: New paleomagnetic data for the Triassic Guichon Batholith of south-central British Columbia and their bearing on Terrane I tectonics
(Symons, D. T. A.) 8: 1340-1344

British Columbia—tectonophysics
heat flow: Subsidence and thermal history of Queen Charlotte Basin
(Yorath, C. J., *et al.*) 1: 135-159

burrows *see* ichnofossils

California—economic geology
copper ores: Isotopic composition of lead from a paleo-island arc; Shasta, California
(Slawson, W. F.) 10: 1521-1527
zinc ores: Isotopic composition of lead from a paleo-island arc; Shasta, California
(Slawson, W. F.) 10: 1521-1527

Cambrian *see also under* stratigraphy *under* Newfoundland

Canada *see also* Alberta; Appalachians; British Columbia; Canadian Shield; Great Lakes region; Labrador; Manitoba; Maritime Provinces; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory

Canada—economic geology
barite deposits: The isotopic composition of western Canadian barites and the possible derivation of oceanic sulphate $\delta^{34}S$ and $\delta^{18}O$ age curves
(Cecile, M. P., *et al.*) 10: 1528-1535

Canada—geomorphology
glacial geology: Hudson Bay river sediments and regional glaciation; I, Iron and carbonate dispersal trains southwest of Hudson and James bays
(Adshead, J. D.) 2: 290-304
— Hudson Bay river sediments and regional glaciation; II, Comparison of carbonate mineralogy of size fractions for ice movement inference
(Adshead, J. D.) 2: 305-312
— Hudson Bay river sediments and regional glaciation; III, Implications of mineralogical studies for Wisconsinan and earlier ice-flow patterns
(Adshead, J. D.) 2: 313-321

Canada—geophysical surveys
geodesy: Stability monitoring of a stationary VLBI antenna
(Teskey, W. F., *et al.*) 10: 1586-1597
gravity surveys: Gravimetric terrain corrections in Western Canada
(Blais, J. A. R., *et al.*) 2: 259-265

Canadian Shield—economic geology
uranium ores: The age and origin of Grenville Province uraniferous granites and pegmatites
(Fowler, A. D., *et al.*) 1: 92-104

Canadian Shield—geochemistry
trace elements: Geochemistry and petrogenesis of basaltic rocks from Coppermine River area, Northwest Territories
(Dostal, J., *et al.*) 5: 684-698

Canadian Shield—geochronology
Archean: U-Pb zircon geochronology of the Kapuskasing structural zone and vicinity in the Chapleau-Foleyet area, Ontario
(Percival, John A., *et al.*) 5: 830-843
Paleozoic: Further thermochronometric unravelling of the age and palaeomagnetic record of the Southwest Grenville Province
(Lopez-Martinez, Margarita, *et al.*) 6: 953-960
Proterozoic: The age and origin of Grenville Province uraniferous granites and pegmatites
(Fowler, A. D., *et al.*) 1: 92-104

Canadian Shield—geophysical surveys
magnetic surveys: Aeromagnetic interpretation of the Kirkland Lake - Larder Lake portion of the Abitibi greenstone belt, Ontario
(Letros, S., *et al.*) 4: 548-560
maps: Aeromagnetic interpretation of the Kirkland Lake - Larder Lake portion of the Abitibi greenstone belt, Ontario
(Letros, S., *et al.*) 4: 548-560

Canadian Shield—petrology
metamorphism: The greenschist facies of an Archean assemblage near Wawa, Ontario
(Studemeister, Paul A.) 9: 1409-1420

Canadian Shield—stratigraphy
Archean: Paleomagnetism of Archean rocks from northwestern Ontario; Wabigoon Gabbro, Wabigoon Subprovince
(Dunlop, David J.) 12: 1805-1817
— Paleomagnetism of late Archean metavolcanics and metasediments, Abitibi Orogen, Canada; tholeiites of the Kinojevis Group
(Geissman, John W., *et al.*) 3: 436-461
Proterozoic: Further thermochronometric unravelling of the age and palaeomagnetic record of the Southwest Grenville Province
(Lopez-Martinez, Margarita, *et al.*) 6: 953-960
— Paleomagnetism and time-stratigraphic correlation of Proterozoic redbeds of the Labrador Trough and outliers of northern Quebec
(Schwarz, E. J., *et al.*) 11: 1725-1737

— Paleomagnetism of the Lac St-Jean anorthosite and related rocks, Grenville Province, Quebec
(Buchan, K. L., *et al.*) 2: 246-258
— Timing of emplacement of the Muskox Intrusion; constraints from Coppermine homocline cover strata
(Kerans, Charles) 5: 673-683

Canadian Shield—structural geology
tectonics: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373
— Progressive metamorphism of pelitic and quartzofeldspathic rocks in the Grenville Province of western Labrador; tectonic implications of bathozone 6 assemblages
(Rivers, T.) 12: 1791-1804

Canadian Shield—tectonophysics
plate tectonics: Evolution of the south-central segment of the Archean Abitibi Belt, Quebec; Part III, Plutonic and metamorphic evolution and geotectonic model
(Dimroth, Erich, *et al.*) 9: 1374-1388

carbon—isotopes
C-13/C-12: Enriched ^{13}C composition of interstitial waters in sediments of a freshwater lake
(Turner, J. V., *et al.*) 4: 616-621
— Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments
(Turner, J. V., *et al.*) 4: 599-615

carbonate rocks *see under* sedimentary rocks

Carboniferous *see also under* stratigraphy *under* New Brunswick

Caribbean region *see also* the individual countries

Carpathians *see also* the individual countries

Caspian Sea—tectonophysics
crust: The southern Caspian; a compressional depression floored by a trapped, modified oceanic crust
(Berberian, Manuel) 2: 163-183

Cenozoic *see also* Tertiary

changes of level *see also under* stratigraphy *under* Arctic Ocean; Great Lakes region; Greenland; New Brunswick; Northwest Territories; Nova Scotia

China—stratigraphy
Jurassic: A survey of the Jurassic System of China
(Wang Yi-gang, *et al.*) 11: 1646-1656
Permian: Errata; Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China
(Shu Ouyang) 2: 344
Triassic: Errata; Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China
(Shu Ouyang) 2: 344

Chitinozoa *see under* palynomorphs

clastic rocks *see under* sedimentary rocks

clastic sediments *see under* sediments

clay mineralogy—areal studies
Alberta: Loess in the Cypress Hills, Alberta, Canada
(Catto, N. R.) 7: 1159-1167
Nova Scotia: Properties and genesis of a soil and the underlying gibbsite-bearing saprolite, Cape Breton Island, Canada
(McKeague, J. A., *et al.*) 1: 37-48
Quebec: Recrystallization of micritic limestones as a function of thermal maturation in the Saint Lawrence Lowlands, Quebec
(Bertrand, R., *et al.*) 1: 66-85

climate, ancient *see* paleoclimatology

coal *see also under* organic residues *under* sedimentary rocks

Colorado Plateau *see also* the individual states

Columbia Plateau *see also* the individual states

concretions *see under* secondary structures *under* sedimentary structures

congresses *see* symposia

Conodonta—faunal studies
Ordovician: Biostratigraphic, paleogeographic, and tectonic implications of Late Ordovician conodonts from the Grog Brook Group, northwestern New Brunswick
(Nowlan, Godfrey S.) 4: 651-671

conodonts—biostratigraphy
Ordovician: Biostratigraphic, paleogeographic, and tectonic implications of Late Ordovician conodonts from the Grog Brook Group, northwestern New Brunswick
(Nowlan, Godfrey S.) 4: 651-671

continental shelf *see also under* oceanography *under* British Columbia; Labrador; Maritime Provinces; New England; Newfoundland; Nova Scotia

continental slope *see also under* oceanography *under* Atlantic Ocean

copper—abundance
lake sediments: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

copper ores *see also under* economic geology *under* British Columbia; California; Mexico; Quebec

Cretaceous *see also under* geochronology *under* British Columbia; Montana; *see also under* stratigraphy *under* Alberta; British Columbia

Cretaceous—stratigraphy
boundary: Rb-Sr and U-Pb dating of bentonites
(Baadsgaard, H., *et al.*) 8: 1282-1290

Crinoidea *see under* Echinodermata

crust *see also under* seismology *under* British Columbia; Nova Scotia; Pacific Ocean; *see also under* tectonophysics *under* Appalachians; Caspian Sea; Newfoundland; North America

crust—properties
magnetic properties: Study of magnetic anomalies of intralithospheric origin
(Tarits, P., *et al.*) 4: 537-547

Crustacea *see under* Arthropoda

crystal chemistry *see also* crystal growth; minerals

crystal growth *see also* minerals

crystal growth—sulfides
pyrrhotite: Analysis of pyrrhotite properties accompanying recrystallization of metamorphosed nickel sulfide ore from Kambalda, Western Australia
(Lusk, J., *et al.*) 1: 113-119

crystal structure *see also* crystal growth; minerals

deformation *see also* structural analysis

deformation—experimental studies
microcracks: An application of photoelastic models to explain microfractures and joints in carbonate strata
(Das Gupta, U., *et al.*) 11: 1682-1693
strain: Patterns of total and incremental strain in subsiding troughs; experimental centrifuged models of inter-diapir synclines
(Dixon, J. M., *et al.*) 12: 1843-1861

deformation—field studies
shatter cones: Structural analysis of shatter cones from the Slate Islands, northern Lake Superior
(Stesky, R. M., *et al.*) 1: 1-18
shear: The geology and structural history of the Cape Ray fault zone in southwestern Newfoundland
(Wilton, Derek H. C.) 7: 1119-1133
strain: Pillow shelves; determination of bedding direction and structural facing direction from shelves in deformed pillow lavas
(Sawyer, E. W., *et al.*) 9: 1483-1487
— Structural evolution of a section along the base of the St. Anthony Complex, Northwest Newfoundland
(Craw, D.) 11: 1713-1724
stress: Breakouts in Alberta and stress in the North American Plate
(Fordjor, C. K., *et al.*) 9: 1445-1455

deltas *see under* fluvial features *under* geomorphology

deposition of ores *see* mineral deposits, genesis

Devonian *see also under* geochronology *under* Appalachians; Newfoundland; *see also under* stratigraphy *under* Newfoundland

diagenesis *see also* sedimentation

diagenesis—dolomitization
effects: An application of photoelastic models to explain microfractures and joints in carbonate strata
(Das Gupta, U., *et al.*) 11: 1682-1693

diagenesis—geochemistry
isotopes: Enriched ^{13}C composition of interstitial waters in sediments of a freshwater lake
(Turner, J. V., *et al.*) 4: 616-621

diagenesis—materials
micritic limestone: Recrystallization of micritic limestones as a function of thermal maturation in the Saint Lawrence Lowlands, Quebec
(Bertrand, R., *et al.*) 1: 66-85

diastrophism *see* orogeny

diatom flora *see under* algal flora

differentiation *see under* magmas

dikes *see under* intrusions

dolomitization *see under* diagenesis

Earth—magnetic field
magnetic anomalies: Study of magnetic anomalies of intralithospheric origin
(Tarits, P., *et al.*) 4: 537-547

earthquakes *see also* seismology; *see also under* seismology *under* Quebec

Eastern Hemisphere *see also* Arctic Ocean; Atlantic Ocean

Eastern U.S. *see also* Georgia; New England

Echinodermata—Crinoidea
Ordovician: Cataraquicrinus elongatus, a new disparid inadunate crinoid from the Middle Ordovician of Ontario
(Kolata, Dennis R.) 10: 1609-1613

echinoderms *see also* Echinodermata

ecology—foraminifers
estuarine environment: River discharge, sedimentation, and benthic environmental variations in Miramichi inner bay, New Brunswick
(Schafer, C. T., *et al.*) 3: 388-398

economic geology—symposia
metallogeny: Symposium; Metallogeny and tectonics of the North American Cordillera—Symposium; Metallogenie et tectonique de la Cordillere de l'Amerique du Nord
(Dawson, Kenneth M.) 6: 991-1071

elastic waves *see under* seismology

engineering geology *see also* deformation; geodesy; ground water; rock mechanics

environmental geology *see also* ecology

epeirogeny *see also* orogeny

eruptive rocks *see* igneous rocks

Eurasia *see also* Caspian Sea

Europe *see also* Greece; Sweden

experimental studies *see under* deformation; paleomagnetism

Far East *see also* the individual countries

faulting *see* faults

faults *see also* folds

faults—displacements
thrust faults: Structural interpretation of the eastern Notre Dame Bay area, Newfoundland; regional post-Middle Silurian thrusting and asymmetrical folding [discussion and reply]
(Currie, K. L., *et al.*) 8: 1351-1354

faults—distribution
neotectonics: The southern Caspian; a compressional depression floored by a trapped, modified oceanic crust
(Berberian, Manuel) 2: 163-183
syntectonic processes: Sedimentology of Upper Ordovician - Silurian sequences on New World Island, Newfoundland; separate fault-controlled basins?
(Arnott, R. J.) 3: 345-354
— Sedimentology of Upper Ordovician - Silurian sequences on New World Island, Newfoundland; separate fault-controlled basins? [discussion]
(Karlstrom, Karl E., *et al.*) 11: 1757-1758

faults—effects
shear zones: The geology and structural history of the Cape Ray fault zone in southwestern Newfoundland
(Wilton, Derek H. C.) 7: 1119-1133

fish *see also* Pisces

fluvial features *see under* geomorphology

folding *see* folds

folds *see also* faults; foliation

folds—distribution
detection: Pillow shelves; determination of bedding direction and structural facing direction from shelves in deformed pillow lavas
(Sawyer, E. W., *et al.*) 9: 1483-1487
shear zones: The geology and structural history of the Cape Ray fault zone in southwestern Newfoundland
(Wilton, Derek H. C.) 7: 1119-1133

folds—orientation
nappes: Stratigraphy and deformational history of the Scrip Nappe, Monashee Mountains, British Columbia
(Raeside, Robert P., *et al.*) 4: 639-650
superposed folds: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373

folds—style
asymmetric folds: Structural interpretation of the eastern Notre Dame Bay area, Newfoundland; regional post-Middle Silurian thrusting and asymmetrical folding [discussion and reply]
(Currie, K. L., *et al.*) 8: 1351-1354
kink folds: Kink folds at upper Manitou Lake, northwestern Ontario
(Wallace, P. I., *et al.*) 8: 1305-1313
synclines: Patterns of total and incremental strain in subsiding troughs; experimental centrifuged models of inter-diapir synclines
(Dixon, J. M., *et al.*) 12: 1843-1861

foliation *see also* folds; structural analysis

foliation—style
schistosity: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373

foraminifera *see also* foraminifers

foraminifers—biostratigraphy
Cenozoic: The late Tertiary - Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago
(Vincent, J. S., *et al.*) 11: 1694-1712
Cretaceous: Foraminifera of the lower part of the Sully Formation (upper Albian), northeastern British Columbia
(Stelck, C. R., *et al.*) 8: 1248-1259
Jurassic: A survey of the Jurassic System of China
(Wang Yi-gang, *et al.*) 11: 1646-1656
Pleistocene: A subsided island west of Flores, Azores
(Ryall, Patrick J. C., *et al.*) 5: 764-775
— Late Quaternary glacial history of the Hermitage area of southern Newfoundland
(Leckie, D. A., *et al.*) 3: 399-408

foraminifers—ecology
estuarine environment: River discharge, sedimentation, and benthic environmental variations in Miramichi inner bay, New Brunswick
(Schafer, C. T., *et al.*) 3: 388-398

fossils *see* appropriate fossil group

fossils, problematic *see* problematic fossils

foundations *see also* rock mechanics

fractures—patterns
preferred orientation: An application of photoelastic models to explain microfractures and joints in carbonate strata
(Das Gupta, U., *et al.*) 11: 1682-1693

frost action *see under* geomorphology; rock mechanics

genesis of ore deposits *see* mineral deposits, genesis

geochronology *see also* absolute age

geochronology—racemization
correlation: Stratigraphy, amino acid geochronology, and correlation of Quaternary sea-level and glacial events, Broughton Island, Arctic Canada
(Brigham, Julie K.) 4: 577-598
wood: The late Tertiary - Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago
(Vincent, J. S., *et al.*) 11: 1694-1712

geochronology—tephrochronology
sedimentation: Late Quaternary lacustrine and deltaic sedimentation near Banff, Alberta
(Kostaschuk, R. A., *et al.*) 12: 1834-1842
sedimentation rates: Palynology and Recent morphogenesis in the Grizzly Creek basin, Yukon Territory
(Bourgeois, J. C., *et al.*) 10: 1543-1553

geochronology—varves
correlation: The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542

geodesy—methods
very long baseline interferometry: Stability monitoring of a stationary VLBI antenna
(Teskey, W. F., *et al.*) 10: 1586-1597

geologic barometry *see under* P-T conditions *under* metamorphism

geologic time *see* absolute age; geochronology

geomorphology *see also* glacial geology

geomorphology—fluvial features
deltas: Sedimentary environments and postglacial history of the Fraser Delta and lower Fraser Valley, British Columbia
(Clague, John J., *et al.*) 8: 1314-1326

geomorphology—frost action
permafrost: Slope hydrology as influenced by thawing of the active layer, Resolute, N.W.T.
(Woo, Ming-ko, *et al.*) 6: 978-986

geomorphology—impact features
astroblemes: Recent seismicity possibly related to the Charlevoix astrobleme
(Roy, Denis W., *et al.*) 10: 1613-1618
meteor craters: Haughton impact structure; structural and morphological aspects
(Robertson, P. B., *et al.*) 7: 1134-1151

geomorphology—landform description
morphometry: Morphometry of open rock basins, Kananaskis area, Canadian Rocky Mountains
(Sauchyn, David J., *et al.*) 3: 409-419

geomorphology—landform evolution
paleoclimatology: Palynology and Recent morphogenesis in the Grizzly Creek basin, Yukon Territory
(Bourgeois, J. C., *et al.*) 10: 1543-1553

geomorphology—processes
weathering: Disintegration of shale by cyclic wetting and drying and frost action
(Mugridge, Samantha-Jane, *et al.*) 4: 568-576

geophysical methods *see under* automatic data processing; mineral exploration

geophysical methods—acoustical methods
interpretation: Acoustic waves; a finite difference film
(McMechan, George, *et al.*) 3: 506-508

geophysical methods—magnetic methods
interpretation: Aeromagnetic interpretation of the Kirkland Lake - Larder Lake portion of the Abitibi greenstone belt, Ontario
(Letros, S., *et al.*) 4: 548-560

geophysical methods—methods
interpretation: Homomorphic deconvolution of potential field data in one and two dimensions
(Jensen, Oliver G., *et al.*) 8: 1260-1281

geophysical surveys *see under* Atlantic Ocean; British Columbia; Canada; Canadian Shield; Georgia; Ontario; Quebec; *see* acoustical surveys *under* geophysical surveys *under* Atlantic Ocean; *see* gravity surveys *under* geophysical surveys *under* Canada; Ontario; *see* magnetic surveys *under* geophysical surveys *under* Canadian Shield; Georgia; Ontario; *see* seismic surveys *under* geophysical surveys *under* Atlantic Ocean; British Columbia; *see* surveys *under* geophysical surveys *under* Quebec

geophysics *see also* deformation

Georgia—geophysical surveys

magnetic surveys: Geomagnetic variation studies in the Southern Appalachians; preliminary results
(Mareschal, Jean-Claude, *et al.*) 9: 1434-1444

geosynclines *see also* orogeny

glacial geology *see also* geomorphology

glacial geology—glacial features

glacial lakes: A glacial lake in the Lake Minto region, New Quebec
(Lauriol, Bernard, *et al.*) 9: 1488-1492

— The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542

glacial geology—glaciation

chronology: Discovery of strained calcareous concretions in the Gentilly Till, Saint Lawrence Lowlands, Quebec
(Lamothe, M., *et al.*) 3: 500-505

— Stratigraphy, amino acid geochronology, and correlation of Quaternary sea-level and glacial events, Broughton Island, Arctic Canada
(Brigham, Julie K.) 4: 577-598

deglaciation: Evidence of pre-late Wisconsinan glaciations on Labrador Shelf; Cartwright Saddle region
(Josenhans, H. W.) 2: 225-235

— Isostatic adjustments in a full glacial sea
(England, John) 6: 895-917

— Sedimentary environments and postglacial history of the Fraser Delta and lower Fraser Valley, British Columbia
(Clague, John J., *et al.*) 8: 1314-1326

deposition: Four Pleistocene formations in Southwest British Columbia; their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age
(Hicock, Stephen R., *et al.*) 8: 1232-1247

— Hudson Bay river sediments and regional glaciation; I, Iron and carbonate dispersal trains southwest of Hudson and James bays
(Adshead, J. D.) 2: 290-304

— Melt-out till in the Edmonton area, Alberta, Canada [discussion and reply]
(Edwards, Marc B., *et al.*) 11: 1758-1760

— Submarine flow tills at Victoria, British Columbia [discussion and reply]
(Powell, Ross D., *et al.*) 3: 509-513

— The late Tertiary - Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago
(Vincent, J. S., *et al.*) 11: 1694-1712

glacial extent: Late Quaternary glacial history of the Hermitage area of southern Newfoundland
(Leckie, D. A., *et al.*) 3: 399-408

ice movement: Hudson Bay river sediments and regional glaciation; II, Comparison of carbonate mineralogy of size fractions for ice movement inference
(Adshead, J. D.) 2: 305-312

— Hudson Bay river sediments and regional glaciation; III, Implications of mineralogical studies for Wisconsinan and earlier ice-flow patterns
(Adshead, J. D.) 2: 313-321

— Late Quaternary sediments and geomorphic history of northern Vancouver Island, British Columbia
(Howes, D. E.) 1: 57-65

glacial geology—glaciers

remote sensing: UHF radar system for airborne surveys of ice thickness
(Narod, B. Barry, *et al.*) 7: 1073-1086

glacial geology—periglacial features

ice wedges: Pleistocene ice and sand wedges, Hooper Island, Northwest Territories
(Mackay, J. Ross, *et al.*) 7: 1087-1097

glacial lakes *see under* glacial features *under* glacial geology

glaciation *see under* glacial geology

glaciers *see under* glacial geology

granites *see under* igneous rocks

gravity surveys *see under* geophysical surveys *under* Canada; Ontario

Great Basin *see also* the individual states

Great Basin—stratigraphy

Mesozoic: The stratigraphy and biofacies trends of the lower Mesozoic Gabbs and Sunrise formations, west-central Nevada
(Taylor, David G., *et al.*) 10: 1598-1608

Great Lakes region *see also* the individual states and provinces

Great Lakes region—stratigraphy

changes of level: The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542

Great Lakes region—structural geology

structural analysis: Structural analysis of shatter cones from the Slate Islands, northern Lake Superior
(Stesky, R. M., *et al.*) 1: 1-18

Great Plains *see also* the individual states and provinces

Greece—stratigraphy

Permian: Paleogeographic conditions in the western Pelagonian margin in Greece during the initial rifting of the continental area
(Mountrakis, D., *et al.*) 11: 1673-1681

Greenland—sedimentary petrology

sedimentation: Depositional environments along a carbonate ramp to slope transition in the Silurian of Washington Land, North Greenland
(Hurst, John M., *et al.*) 3: 473-499

Greenland—stratigraphy

changes of level: Isostatic adjustments in a full glacial sea
(England, John) 6: 895-917

ground water *see also* hydrology

ground water—surveys

Northwest Territories: Downward water movement into frozen ground, western Arctic coast, Canada
(Mackay, J. Ross) 1: 120-134

— Slope hydrology as influenced by thawing of the active layer, Resolute, N.W.T.
(Woo, Ming-ko, *et al.*) 6: 978-986

Gulf Coastal Plain *see also* the individual states and countries

heat flow *see also under* tectonophysics *under* British Columbia

heat flow—thermal conductivity
theoretical studies: The effect of lateral deformation on heat flow - heat production relations
(Cook, Frederick A.) 11: 1621-1630

Himalayas *see also* the individual countries

Holocene *see also under* geochronology *under* Minnesota; Ontario; *see also under* stratigraphy *under* Alaska; Alberta; British Columbia; Ontario; Yukon Territory

hydrogeology *see also* ground water; hydrology

hydrology *see also* ground water

hydrology—surveys
Miramichi River: River discharge, sedimentation, and benthic environmental variations in Miramichi inner bay, New Brunswick
(Schafer, C. T., *et al.*) 3: 388-398
Northwest Territories: Slope hydrology as influenced by thawing of the active layer, Resolute, N.W.T.
(Woo, Ming-ko, *et al.*) 6: 978-986
Ontario: Enriched ^{13}C composition of interstitial waters in sediments of a freshwater lake
(Turner, J. V., *et al.*) 4: 616-621
— Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments
(Turner, J. V., *et al.*) 4: 599-615
Quebec: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36
Saint Jean River: Evolution of liquid and solid discharges of a subboreal estuary; St. Jean River, Quebec, Gulf of St. Lawrence north coast
(Cataliotti-Valdina, D., *et al.*) 2: 184-194
Saint Lawrence Estuary: Forms of phosphorus and phosphorus-iron relationships in the suspended matter of the St. Lawrence Estuary
(Lucotte, Marc, *et al.*) 12: 1880-1890

hydrothermal alteration *see under* processes *under* metasomatism

hydrothermal processes *see under* polymetallic ores *under* mineral deposits, genesis

ice ages *see* glacial geology

ichnofossils—occurrence
Cambrian: Early Cambrian problematic fossils near June Lake, Mackenzie Mountains, N.W.T.
(Hofmann, H. J.) 10: 1513-1520

igneous rocks *see also* intrusions; lava; magmas; metamorphic rocks; metasomatism; phase equilibria

igneous rocks—basalts
magnetic properties: Magnetic inclination of basaltic rocks from the East Pacific Rise at 21°N, and validity of the polarity criteria
(Smith, Brigitte) 2: 322-333

igneous rocks—distribution
intrusive rocks: A gravity study of the Coldwell Complex, northwestern Ontario and its petrological significance
(Mitchell, Roger H., *et al.*) 11: 1631-1638

igneous rocks—granites
pegmatite: The age and origin of Grenville Province uraniferous granites and pegmatites
(Fowler, A. D., *et al.*) 1: 92-104

igneous rocks—mafic composition
petrology: Geology and petrology of Proterozoic mafic dikes, north-central Minnesota and western Ontario
(Southwick, D. L., *et al.*) 4: 622-638

igneous rocks—petrology
complexes: Correlation of two Helikian peralkaline granite-volcanic centres in central Labrador
(Hill, J. D., *et al.*) 5: 753-763

igneous rocks—plutonic rocks
classification: The Ile Bizard intrusion, Montreal, Quebec; kimberlite or lamprophyre? [discussion and reply]
(Michell, R. H., *et al.*) 9: 1493-1498

igneous rocks—pyroclastics
ash-flow tuff: Discrete single-domain and pseudo-single-domain titanomagnetite particles in silicic glass of an ash-flow tuff
(Geissman, John W., *et al.*) 2: 334-338

igneous rocks—volcanic rocks
occurrence: A geophysical interpretation of the geology of Conception Bay, Newfoundland
(Miller, H. G.) 9: 1421-1433

impact features *see under* geomorphology

incertae sedis *see* problematic fossils

Insecta—Orthopteroida
Paleocene: Further observations on North American Tertiary orthopteroids (Insecta; Grylloptera)
(Kevan, D. Keith M., *et al.*) 2: 217-224

intrusions *see also* igneous rocks; metamorphism; metasomatism

intrusions—age
absolute age: Geochronology and tectonic implications of magmatism and metamorphism, southern Kootenay Arc and neighbouring regions, southeastern British Columbia; Part I, Jurassic to mid-Cretaceous
(Archibald, D. A., *et al.*) 12: 1891-1913

intrusions—batholiths
age: A U-Pb zircon age from the Kuskanax Batholith, southeastern British Columbia
(Parrish, Randall R., *et al.*) 11: 1751-1756

intrusions—classification
composition: The Ile Bizard intrusion, Montreal, Quebec; kimberlite or lamprophyre? [discussion and reply]
(Michell, R. H., *et al.*) 9: 1493-1498

intrusions—composition
mafic composition: A gravity study of the Coldwell Complex, northwestern Ontario and its petrological significance
(Mitchell, Roger H., *et al.*) 11: 1631-1638

intrusions—dikes
age: Marathon dikes; Rb-Sr and K-Ar geochronology of ultrabasic lamprophyres from the vicinity of McKellar Harbour, northwestern Ontario, Canada
(Platt, R. Garth, *et al.*) 6: 961-967

dike swarms: Geology and petrology of Proterozoic mafic dikes, north-central Minnesota and western Ontario
(Southwick, D. L., *et al.*) 4: 622-638

intrusions—emplacement
spreading centers: The structure of sheeted dikes and associated rocks in North Arm Massif, Bay of Islands ophiolite complex, and the intrusive process at oceanic spreading centers
(Rosencrantz, Eric) 5: 787-801

intrusions—layered intrusions
emplacement: Timing of emplacement of the Muskox Intrusion; constraints from Coppermine homocline cover strata
(Kerans, Charles) 5: 673-683

intrusions—plutons
age: Age and contact-metamorphic effects of the Overflow Pond Granite; an undeformed pluton in the Dunnage Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 11: 1639-1645
— Uranium-lead dates from the Central Gneiss Complex and Ecstall Pluton, Prince Rupert map area, British Columbia
(Woodsworth, G. J., *et al.*) 9: 1475-1483

intrusions—stocks
contact metamorphism: The greenschist facies of an Archean assemblage near Wawa, Ontario
(Studemeister Paul A.) 9: 1409-1420

Invertebrata *see also* Arthropoda; Echinodermata; ichnofossils; Insecta; Mollusca; Porifera; problematic fossils

invertebrates *see also* brachiopods; conodonts; foraminifers; mollusks

invertebrates—biostratigraphy
Cambrian: The oldest sequence of skeletal fossils in the Lower Cambrian of southeastern Newfoundland
(Bengtson, Stefan, *et al.*) 4: 525-536
Jurassic: A survey of the Jurassic System of China
(Wang Yi-gang, *et al.*) 11: 1646-1656
Mesozoic: The stratigraphy and biofacies trends of the lower Mesozoic Gabbs and Sunrise formations, west-central Nevada
(Taylor, David G., *et al.*) 10: 1598-1608

invertebrates—paleoecology
Silurian: Sedimentary facies, depositional environments, and faunal associations of the lower Llandovery (Silurian) Beechill Cove Formation, Arisaig, Nova Scotia
(Pickerill, R. K., *et al.*) 12: 1761-1779

Iran—structural geology
neotectonics: The southern Caspian; a compressional depression floored by a trapped, modified oceanic crust
(Berberian, Manuel) 2: 163-183

Iran—tectonophysics
plate tectonics: The southern Caspian; a compressional depression floored by a trapped, modified oceanic crust
(Berberian, Manuel) 2: 163-183

iron—geochemistry
sand: Hudson Bay river sediments and regional glaciation; I, Iron and carbonate dispersal trains southwest of Hudson and James bays
(Adshead, J. D.) 2: 290-304
suspended materials: Forms of phosphorus and phosphorus-iron relationships in the suspended matter of the St. Lawrence Estuary
(Lucotte, Marc, *et al.*) 12: 1880-1890

isostasy *see also under* tectonophysics *under* Arctic region

isotope dating *see* absolute age

isotopes *see also* absolute age; geochronology

isotopes—barite deposits
stratiform deposits: The isotopic composition of western Canadian barites and the possible derivation of oceanic sulphate $\delta^{34}S$ and $\delta^{18}O$ age curves
(Cecile, M. P., *et al.*) 10: 1528-1535

isotopes—carbon
C-13/C-12: Enriched ^{13}C composition of interstitial waters in sediments of a freshwater lake
(Turner, J. V., *et al.*) 4: 616-621

isotopes—lead
ratios: Isotopic composition of lead from a paleo-island arc; Shasta, California
(Slawson, W. F.) 10: 1521-1527

isotopes—oxygen
O-18/O-16: Geology and footwall alteration of the South Bay massive sulphide deposit, northwestern Ontario, Canada
(Urabe, Tetsuro, *et al.*) 12: 1862-1879

isotopes—strontium
Sr-87/Sr-86: Marathon dikes; Rb-Sr and K-Ar geochronology of ultrabasic lamprophyres from the vicinity of McKellar Harbour, northwestern Ontario, Canada
(Platt, R. Garth, *et al.*) 6: 961-967
— The age and origin of Grenville Province uraniferous granites and pegmatites
(Fowler, A. D., *et al.*) 1: 92-104
— The Archean gneiss complex of northern Labrador; 2, Mineral ages, secondary isochrons, and diffusion of strontium during polymetamorphism of the Uivak Gneisses
(Collerson, Kenneth D.) 5: 707-718

Jurassic *see also under* geochronology *under* Alaska; British Columbia; *see also under* stratigraphy *under* China; Nevada; North America; Northwest Territories

Labrador—geochronology
Archean: The Archean gneiss complex of northern Labrador; 2, Mineral ages, secondary isochrons, and diffusion of strontium during polymetamorphism of the Uivak Gneisses
(Collerson, Kenneth D.) 5: 707-718

Labrador—oceanography
continental shelf: Evidence of pre-late Wisconsinan glaciations on Labrador Shelf; Cartwright Saddle region
(Josenhans, H. W.) 2: 225-235

Labrador—petrology
igneous rocks: Correlation of two Helikian peralkaline granite-volcanic centres in central Labrador
(Hill, J. D., *et al.*) 5: 753-763
metamorphism: Progressive metamorphism of pelitic and quartzofeldspathic rocks in the Grenville Province of western Labrador; tectonic implications of bathozone 6 assemblages
(Rivers, T.) 12: 1791-1804

Labrador—sedimentary petrology
sediments: Quartz surface microtextures and grain-size characteristics of Quaternary sediments in the Porcupine Strand area of coastal Labrador, Newfoundland, Canada
(Rogerson, R. J., *et al.*) 3: 377-387

Labrador—stratigraphy
Proterozoic: Paleomagnetic history of the Mealy dykes of Labrador, Canada
(Park, J. K., *et al.*) 12: 1818-1833
— Paleomagnetism and time-stratigraphic correlation of Proterozoic redbeds of the Labrador Trough and outliers of northern Quebec
(Schwarz, E. J., *et al.*) 11: 1725-1737

landform description *see under* geomorphology

landform evolution *see under* geomorphology

lava *see also* igneous rocks; magmas

lava—age
absolute age: Regional stratigraphy and age of Chilcotin Group basalts, south-central British Columbia
(Bevier, Mary Lou) 4: 515-524

lava—observations
pillow structure: Pillow shelves; determination of bedding direction and structural facing direction from shelves in deformed pillow lavas
(Sawyer, E. W., *et al.*) 9: 1483-1487

lava—properties
magnetic properties: Magnetic inclination of basaltic rocks from the East Pacific Rise at 21°N, and validity of the polarity criteria
(Smith, Brigitte) 2: 322-333

lead—abundance
lake sediments: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

lead—isotopes
ratios: Isotopic composition of lead from a paleo-island arc; Shasta, California
(Slawson, W. F.) 10: 1521-1527

lineation *see also* foliation; structural analysis

lineation—style
elongate minerals: The geology and structural history of the Cape Ray fault zone in southwestern Newfoundland
(Wilton, Derek H. C.) 7: 1119-1133

loess *see under* clastic sediments *under* sediments

magmas *see also* igneous rocks; intrusions; lava

magmas—contamination
continental crust: Geochemistry and petrogenesis of basaltic rocks from Coppermine River area, Northwest Territories
(Dostal, J., *et al.*) 5: 684-698

magmas—differentiation
mafic magmas: A gravity study of the Coldwell Complex, northwestern Ontario and its petrological significance
(Mitchell, Roger H., *et al.*) 11: 1631-1638

magnetic field *see under* Earth

magnetic methods *see under* geophysical methods

magnetic surveys *see under* geophysical surveys *under* Canadian Shield; Georgia; Ontario

magnetism of rocks and minerals *see* paleomagnetism

Mammalia—Creodonta
Paleocene: Evolutionary implications of tooth replacement in the Paleocene mammal Pararyctes
(Fox, Richard C.) 1: 19-22

Mammalia—Insectivora
Oligocene: New evidence on the relationships of the Tertiary insectivoran Ankylodon (Mammalia)
(Fox, Richard C.) 6: 968-977

Mammalia—Marsupialia
Tertiary: Notes on the North American Tertiary marsupials Herpetotherium and Peradectes
(Fox, Richard C.) 10: 1565-1578

Mammalia—Suiformes
Oligocene: A new species of the artiodactyl Heptacodon from the Cypress Hills Formation, Lac Pelletier, Saskatchewan
(Storer, John E.) 8: 1344-1347

Manitoba—geomorphology
glacial geology: Hudson Bay river sediments and regional glaciation; I, Iron and carbonate dispersal trains southwest of Hudson and James bays
(Adshead, J. D.) 2: 290-304
— Hudson Bay river sediments and regional glaciation; II, Comparison of carbonate mineralogy of size fractions for ice movement inference
(Adshead, J. D.) 2: 305-312
— Hudson Bay river sediments and regional glaciation; III, Implications of mineralogical studies for Wisconsinan and earlier ice-flow patterns
(Adshead, J. D.) 2: 313-321
weathering: Disintegration of shale by cyclic wetting and drying and frost action
(Mugridge, Samantha-Jane, *et al.*) 4: 568-576

maps *see also under* geophysical surveys *under* Canadian Shield; Ontario

marine sediments *see under* sediments

Maritime Provinces—oceanography
continental shelf: Relative sea-level rise and tidal development in the Fundy tidal system
(Scott, David B., *et al.*) 10: 1554-1564

mathematical geology *see also* automatic data processing

Mediterranean region *see also* the individual countries

Mediterranean region—tectonophysics
plate tectonics: Paleogeographic conditions in the western Pelagonian margin in Greece during the initial rifting of the continental area
(Mountrakis, D., *et al.*) 11: 1673-1681

meetings *see* symposia

mercury—abundance
lake sediments: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

Mesozoic *see also under* geochronology *under* British Columbia; *see also under* stratigraphy *under* Great Basin

metal ores *see also under* economic geology *under* Mexico; North America; symposia; Western U.S.

metals—abundance
lake sediments: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

metamorphic rocks *see also* igneous rocks; metamorphism; metasomatism

metamorphic rocks—amphibolites
garnet amphibolite: Plagioclase-clinopyroxene-garnet-quartz equilibria and the geobarometry and geothermometry of garnet amphibolites from Mica Creek, British Columbia
(Ghent, Edward D., *et al.*) 5: 699-706
metamorphic rocks—eclogite
genesis: Eclogite from central Yukon; a record of subduction at the western margin of ancient North America
(Erdmer, Philippe, *et al.*) 9: 1389-1408
metamorphic rocks—facies
greenschist facies: The greenschist facies of an Archean assemblage near Wawa, Ontario
(Studemeister, Paul A.) 9: 1409-1420
metamorphic rocks—gneisses
geochemistry: The Archean gneiss complex of northern Labrador; 2, Mineral ages, secondary isochrons, and diffusion of strontium during polymetamorphism of the Uivak Gneisses
(Collerson, Kenneth D.) 5: 707-718
metamorphic rocks—metaigneous rocks
metabasalt: Trace-element mobility during low-grade metamorphism and silicification of basaltic rocks from Saint John, New Brunswick
(Dostal, J., *et al.*) 3: 431-435
metarhyolite: Uranium and thorium in Paleozoic rhyolites of Nova Scotia
(Dostal, J., *et al.*) 2: 266-274
petrology: Evolution of the south-central segment of the Archean Abitibi Belt, Quebec; Part III, Plutonic and metamorphic evolution and geotectonic model
(Dimroth, Erich, *et al.*) 9: 1374-1388
metamorphic rocks—metasedimentary rocks
distribution: Paleogeographic conditions in the western Pelagonian margin in Greece during the initial rifting of the continental area
(Mountrakis, D., *et al.*) 11: 1673-1681
metagraywacke: Bimodal volcanism in Archean greenstone belts exemplified by greywacke composition, Lake Superior Park, Ontario
(Ayres, L. D.) 7: 1168-1194
metamorphic rocks—metavolcanic rocks
geochemistry: Geochemistry and petrogenesis of basaltic rocks from Coppermine River area, Northwest Territories
(Dostal, J., *et al.*) 5: 684-698
magnetic properties: Aeromagnetic interpretation of the Kirkland Lake - Larder Lake portion of the Abitibi greenstone belt, Ontario
(Letros, S., *et al.*) 4: 548-560
textures: Structural evolution of a section along the base of the St. Anthony Complex, Northwest Newfoundland
(Craw, D.) 11: 1713-1724
metamorphic rocks—mineral assemblages
zoning: Progressive metamorphism of pelitic and quartzofeldspathic rocks in the Grenville Province of western Labrador; tectonic implications of bathozone 6 assemblages
(Rivers, T.) 12: 1791-1804
metamorphism *see also* metamorphic rocks; metasomatism
metamorphism—age
absolute age: Geochronology and tectonic implications of magmatism and metamorphism, southern Kootenay Arc and neighbouring regions, southeastern British Columbia; Part I, Jurassic to mid-Cretaceous
(Archibald, D. A., *et al.*) 12: 1891-1913
— Rb-Sr whole-rock age of the Klondike Schist, Yukon Territory
(Metcalfe, P., *et al.*) 5: 886-891
— Uranium-lead dates from the Central Gneiss Complex and Ecstall Pluton, Prince Rupert map area, British Columbia
(Woodsworth, G. J., *et al.*) 9: 1475-1483
metamorphism—burial metamorphism
grade: Studies of burial metamorphism in the post-Taconic stage of the Appalachian Orogen, southwestern Gaspe
(Duba, Daria, *et al.*) 7: 1152-1158
metamorphism—contact metamorphism
effects: Age and contact-metamorphic effects of the Overflow Pond Granite; an undeformed pluton in the Dunnage Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 11: 1639-1645
metamorphism—environment
subduction zones: Eclogite from central Yukon; a record of subduction at the western margin of ancient North America
(Erdmer, Philippe, *et al.*) 9: 1389-1408
metamorphism—grade
high-grade metamorphism: Early Tertiary resetting of potassium-argon dates in the Kootenay Arc, southeastern British Columbia
(Mathews, W. H.) 5: 867-872
metamorphism—migration of elements
trace elements: Trace-element mobility during low-grade metamorphism and silicification of basaltic rocks from Saint John, New Brunswick
(Dostal, J., *et al.*) 3: 431-435
metamorphism—P-T conditions
geologic barometry: Plagioclase-clinopyroxene-garnet-quartz equilibria and the geobarometry and geothermometry of garnet amphibolites from Mica Creek, British Columbia
(Ghent, Edward D., *et al.*) 5: 699-706
metamorphism—polymetamorphism
evolution: Evolution of the south-central segment of the Archean Abitibi Belt, Quebec; Part III, Plutonic and metamorphic evolution and geotectonic model
(Dimroth, Erich, *et al.*) 9: 1374-1388
migration of elements: The Archean gneiss complex of northern Labrador; 2, Mineral ages, secondary isochrons, and diffusion of strontium during polymetamorphism of the Uivak Gneisses
(Collerson, Kenneth D.) 5: 707-718
metamorphism—prograde metamorphism
P-T conditions: Progressive metamorphism of pelitic and quartzofeldspathic rocks in the Grenville Province of western Labrador; tectonic implications of bathozone 6 assemblages
(Rivers, T.) 12: 1791-1804

metamorphism—regional metamorphism
age: Chronology of tectonothermal activity in the western Avalon Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 3: 355-363
migration of elements: Uranium and thorium in Paleozoic rhyolites of Nova Scotia
(Dostal, J., *et al.*) 2: 266-274
recrystallization: Analysis of pyrrhotite properties accompanying recrystallization of metamorphosed nickel sulfide ore from Kambalda, Western Australia
(Lusk, J., *et al.*) : 113-119

metamorphism—retrograde metamorphism
indicators: The greenschist facies of an Archean assemblage near Wawa, Ontario
(Studemeister, Paul A.) 9: 1409-1420

metamorphism—shock metamorphism
shatter cones: Structural analysis of shatter cones from the Slate Islands, northern Lake Superior
(Stesky, R. M., *et al.*) 1: 1-18

metasomatic rocks *see also* igneous rocks; metamorphic rocks; metamorphism; metasomatism

metasomatism *see also* metamorphism

metasomatism—processes
hydrothermal alteration: The greenschist facies of an Archean assemblage near Wawa, Ontario
(Studemeister, Paul A.) 9: 1409-1420

meteor craters *see also under* geomorphology *under* Northwest Territories; Quebec

methods *see under* geophysical methods *under* automatic data processing; *see under* geodesy; geophysical methods; remote sensing; structural analysis

Mexico—economic geology
copper ores: Geochronology of the porphyry copper deposits and related mineralization of Mexico
(Damon, Paul E., *et al.*) 6: 1052-1071
metal ores: Tectono-stratigraphic terranes and mineral resource distributions in Mexico
(Campa, Maria Fernanda, *et al.*) 6: 1040-1051

Midwest *see also* Minnesota; Wisconsin

Midwest—environmental geology
pollution: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

mineral deposits, genesis—barite deposits
geochemical controls: The isotopic composition of western Canadian barites and the possible derivation of oceanic sulphate $\delta^{34}S$ and $\delta^{18}O$ age curves
(Cecile, M. P., *et al.*) 10: 1528-1535

mineral deposits, genesis—copper ores
volcanic processes: Geochronology of the porphyry copper deposits and related mineralization of Mexico
(Damon, Paul E., *et al.*) 6: 1052-1071
— The geology of the New Insco copper deposit, Noranda district, Quebec
(Meyers, R. E., *et al.*) 8: 1291-1304

mineral deposits, genesis—interpretation
metallogeny: Symposium; Metallogeny and tectonics of the North American Cordillera—Symposium; Metallogenie et tectonique de la Cordillere de l'Amerique du Nord
(Dawson, Kenneth M.) 6: 991-1071

mineral deposits, genesis—metal ores
plate tectonics: Metallogeny and tectonics of porphyry copper-molybdenum deposits in British Columbia
(Griffiths, John R., *et al.*) 6: 1000-1018

mineral deposits, genesis—patterns
metallogeny: Correlation of metal occurrence and terrane attributes in the northwestern conterminous United States
(Tooker, Edwin W.) 6: 1030-1039
— Distribution of mineral deposits in accreted terranes and cratonal rocks of Western United States
(Albers, John P.) 6: 1019-1029
— Tectono-stratigraphic terranes and mineral resource distributions in Mexico
(Campa, Maria Fernanda, *et al.*) 6: 1040-1051

mineral deposits, genesis—polymetallic ores
hydrothermal processes: Geology and footwall alteration of the South Bay massive sulphide deposit, northwestern Ontario, Canada
(Urabe, Tetsuro, *et al.*) 12: 1862-1879
volcanic processes: Isotopic composition of lead from a paleo-island arc; Shasta, California
(Slawson, W. F.) 10: 1521-1527

mineral deposits, genesis—uranium ores
plate tectonics: The age and origin of Grenville Province uraniferous granites and pegmatites
(Fowler, A. D., *et al.*) 1: 92-104

mineral exploration—geochemical methods
multivariate analysis: A multivariate approach to geochemical distinction between tin-specialized and uranium-specialized granites of southern Nova Scotia
(Chatterjee, A. K., *et al.*) 3: 420-430

mineral exploration—geophysical methods
models: Homomorphic deconvolution of potential field data in one and two dimensions
(Jensen, Oliver G., *et al.*) 8: 1260-1281

mineral exploration—ore guides
wallrock alteration: Geology and footwall alteration of the South Bay massive sulphide deposit, northwestern Ontario, Canada
(Urabe, Tetsuro, *et al.*) 12: 1862-1879

mineral prospecting *see* mineral exploration

mineral resources *see also* the individual deposits

minerals *see also* crystal growth

minerals—sulfides
pyrrhotite: Analysis of pyrrhotite properties accompanying recrystallization of metamorphosed nickel sulfide ore from Kambalda, Western Australia
(Lusk, J., *et al.*) 1: 113-119

Minnesota—geochronology
Holocene: The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542

Minnesota—petrology
intrusions: Geology and petrology of Proterozoic mafic dikes, north-central Minnesota and western Ontario
(Southwick, D. L., *et al.*) 4: 622-638

miospores *see under* palynomorphs

Mollusca—Ammonoidea
Jurassic: Protogrammoceras paltum (Buckman), a late Pliensbachian (Jurassic) ammonite from Axel Heiberg Island, Canadian Arctic Archipelago
(Hall, Russell L., *et al.*) 9: 1470-1475

Mollusca—Archaeogastropoda
Cambrian: Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada [discussion and reply]
(Rowland, Stephen M., *et al.*) 8: 1348-1351

Mollusca—Rostroconchia
Silurian: Some silicified Middle Silurian rostroconchs (Mollusca) from the Mackenzie Mountains, N.W.T., Canada
(Johnston, D. I., *et al.*) 5: 844-858

mollusks—ammonoids
Jurassic: Protogrammoceras paltum (Buckman), a late Pliensbachian (Jurassic) ammonite from Axel Heiberg Island, Canadian Arctic Archipelago
(Hall, Russell L., *et al.*) 9: 1470-1475

mollusks—biostratigraphy
Cambrian: The oldest sequence of skeletal fossils in the Lower Cambrian of southeastern Newfoundland
(Bengtson, Stefan, *et al.*) 4: 525-536
Jurassic: A survey of the Jurassic System of China
(Wang Yi-gang, *et al.*) 11: 1646-1656
— The Pliensbachian ammonite Dayiceras dayiceroides and Early Jurassic paleogeography
(Smith, Paul L.) 1: 86-91

mollusks—paleoecology
Pleistocene: Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada
(Emerson, Donald) 1: 160-162
— Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada [discussion]
(Ouellet, Marcel) 10: 1619-1620
Silurian: Sedimentary facies, depositional environments, and faunal associations of the lower Llandovery (Silurian) Beechill Cove Formation, Arisaig, Nova Scotia
(Pickerill, R. K., *et al.*) 12: 1761-1779

molybdenum ores *see also under* economic geology *under* British Columbia

Montana—geochronology
Cretaceous: Rb-Sr and U-Pb dating of bentonites
(Baadsgaard, H., *et al.*) 8: 1282-1290
Paleocene: Rb-Sr and U-Pb dating of bentonites
(Baadsgaard, H., *et al.*) 8: 1282-1290

Montana—paleontology
Reptilia: New data on pachycephalosaurid dinosaurs (Reptilia; Ornithischia) from North America
(Galton, Peter M., *et al.*) 3: 462-472

mud volcanoes *see also* volcanology

nappes *see under* orientation *under* folds

Neogene *see also under* geochronology *under* British Columbia

neotectonics *see also under* structural geology *under* Iran

Nevada—paleontology
problematic fossils: Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada [discussion and reply]
(Rowland, Stephen M., *et al.*) 8: 1348-1351

Nevada—stratigraphy
Jurassic: The stratigraphy and biofacies trends of the lower Mesozoic Gabbs and Sunrise formations, west-central Nevada
(Taylor, David G., *et al.*) 10: 1598-1608
Triassic: The stratigraphy and biofacies trends of the lower Mesozoic Gabbs and Sunrise formations, west-central Nevada
(Taylor, David G., *et al.*) 10: 1598-1608

New Brunswick—geochemistry
trace elements: Trace-element mobility during low-grade metamorphism and silicification of basaltic rocks from Saint John, New Brunswick
(Dostal, J., *et al.*) 3: 431-435

New Brunswick—oceanography
estuaries: River discharge, sedimentation, and benthic environmental variations in Miramichi inner bay, New Brunswick
(Schafer, C. T., *et al.*) 3: 388-398

New Brunswick—sedimentary petrology
sedimentary rocks: A spectrum of alluvial deposits in the Lower Carboniferous Bonaventure Formation of western Chaleur Bay area, Gaspe and New Brunswick, Canada
(Zaitlin, Brian A., *et al.*) 7: 1098-1110

New Brunswick—stratigraphy
Carboniferous: The Upper Carboniferous Clifton Formation of northern New Brunswick; coal-bearing deposits of a semi-arid alluvial plain [discussion and reply]
(van de Poll, H. W., *et al.*) 7: 1212-1216
changes of level: Relative sea-level rise and tidal development in the Fundy tidal system
(Scott, David B., *et al.*) 10: 1554-1564
Ordovician: Biostratigraphic, paleogeographic, and tectonic implications of Late Ordovician conodonts from the Grog Brook Group, northwestern New Brunswick
(Nowlan, Godfrey S.) 4: 651-671
Proterozoic: Age of the Brookville Gneiss and associated rocks, southeastern New Brunswick [discussion and reply]
(Fyffe, L. R., *et al.*) 5: 892-893

New England—oceanography
continental shelf: Relative sea-level rise and tidal development in the Fundy tidal system
(Scott, David B., *et al.*) 10: 1554-1564

Newfoundland—geochronology
Devonian: Chronology of tectonothermal activity in the western Avalon Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 3: 355-363

Newfoundland—oceanography
continental shelf: Remote acoustic classification of marine sediments with application to offshore Newfoundland
(Cochrane, N. A., *et al.*) 7: 1195-1211

Newfoundland—paleontology
problematic fossils: An enigmatic fossil of sponge affinities from Middle Ordovician rocks of western Newfoundland
(Paquette, Jeanne, *et al.*) 10: 1501-1512

Newfoundland—petrology
intrusions: Age and contact-metamorphic effects of the Overflow Pond Granite; an undeformed pluton in the Dunnage Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 11: 1639-1645

— The structure of sheeted dikes and associated rocks in North Arm Massif, Bay of Islands ophiolite complex, and the intrusive process at oceanic spreading centers (Rosencrantz, Eric) 5: 787-801

Newfoundland—stratigraphy

Cambrian: The oldest sequence of skeletal fossils in the Lower Cambrian of southeastern Newfoundland (Bengtson, Stefan, *et al.*) 4: 525-536

Devonian: Paleomagnetism of the Deadman's Bay diabase dikes from northeastern central Newfoundland (Murthy, G. S.) 2: 195-205

Ordovician: Llanvirnian chitinozoans (Table Head Formation) from western Newfoundland (Achab, Aicha) 6: 918-931

— Structural interpretation of the eastern Notre Dame Bay area, Newfoundland; regional post-Middle Silurian thrusting and asymmetrical folding [discussion and reply] (Currie, K. L., *et al.*) 8: 1351-1354

Paleozoic: Paleomagnetism of diabase dikes from the Bonavista Bay area of northeastern central Newfoundland (Murthy, G. S.) 2: 206-216

— Sedimentology of Upper Ordovician - Silurian sequences on New World Island, Newfoundland; separate fault-controlled basins? (Arnott, R. J.) 3: 345-354

— Sedimentology of Upper Ordovician - Silurian sequences on New World Island, Newfoundland; separate fault-controlled basins? [discussion] (Karlstrom, Karl E., *et al.*) 11: 1757-1758

Pleistocene: Late Quaternary glacial history of the Hermitage area of southern Newfoundland (Leckie, D. A., *et al.*) 3: 399-408

Silurian: Structural interpretation of the eastern Notre Dame Bay area, Newfoundland; regional post-Middle Silurian thrusting and asymmetrical folding [discussion and reply] (Currie, K. L., *et al.*) 8: 1351-1354

Newfoundland—structural geology

deformation: Structural evolution of a section along the base of the St. Anthony Complex, Northwest Newfoundland (Craw, D.) 11: 1713-1724

structural analysis: The geology and structural history of the Cape Ray fault zone in southwestern Newfoundland (Wilton, Derek H. C.) 7: 1119-1133

tectonics: Structural interpretation of the eastern Notre Dame Bay area, Newfoundland; regional post-Middle Silurian thrusting and asymmetrical folding [discussion and reply] (Currie, K. L., *et al.*) 8: 1351-1354

Newfoundland—tectonophysics

crust: A geophysical interpretation of the geology of Conception Bay, Newfoundland (Miller, H. G.) 9: 1421-1433

North America *see also* Appalachians; Canada; Great Lakes region; Mexico; Rocky Mountains

North America—economic geology

metal ores: Symposium; Metallogeny and tectonics of the North American Cordillera—Symposium; Metallogenie et tectonique de la Cordillere de l'Amerique du Nord (Dawson, Kenneth M.) 6: 991-1071

North America—paleontology

Insecta: Further observations on North American Tertiary orthopteroids (Insecta; Grylloptera) (Kevan, D. Keith M., *et al.*) 2: 217-224

Mammalia: Notes on the North American Tertiary marsupials Herpetotherium and Peradectes (Fox, Richard C.) 10: 1565-1578

Reptilia: New data on pachycephalosaurid dinosaurs (Reptilia; Ornithischia) from North America (Galton, Peter M., *et al.*) 3: 462-472

North America—stratigraphy

Jurassic: The Pliensbachian ammonite Dayiceras dayiceroides and Early Jurassic paleogeography (Smith, Paul L.) 1: 86-91

Proterozoic: Paleomagnetic results from the upper Keweenawan Chequamegon Sandstone; implications for red bed diagenesis and late Precambrian apparent polar wander of North America (McCabe, Chad, *et al.*) 1: 105-112

North America—structural geology

tectonics: An introductory overview to the concept of displaced terranes (Ben-Avraham, Zvi, *et al.*) 6: 994-999

— Symposium; Metallogeny and tectonics of the North American Cordillera—Symposium; Metallogenie et tectonique de la Cordillere de l'Amerique du Nord (Dawson, Kenneth M.) 6: 991-1071

North America—tectonophysics

crust: Breakouts in Alberta and stress in the North American Plate (Fordjor, C. K., *et al.*) 9: 1445-1455

plate tectonics: Eclogite from central Yukon; a record of subduction at the western margin of ancient North America (Erdmer, Philippe, *et al.*) 9: 1389-1408

Northern Hemisphere *see also* Arctic Ocean; Atlantic Ocean; North America; Pacific Ocean

Northwest Territories—engineering geology

permafrost: Downward water movement into frozen ground, western Arctic coast, Canada (Mackay, J. Ross) 1: 120-134

Northwest Territories—geochemistry

trace elements: Geochemistry and petrogenesis of basaltic rocks from Coppermine River area, Northwest Territories (Dostal, J., *et al.*) 5: 684-698

Northwest Territories—geochronology

Quaternary: Isostatic adjustments in a full glacial sea (England, John) 6: 895-917

— Stratigraphy, amino acid geochronology, and correlation of Quaternary sea-level and glacial events, Broughton Island, Arctic Canada (Brigham, Julie K.) 4: 577-598

Northwest Territories—geomorphology

glacial geology: Pleistocene ice and sand wedges, Hooper Island, Northwest Territories (Mackay, J. Ross, *et al.*) 7: 1087-1097

meteor craters: Haughton impact structure; structural and morphological aspects (Robertson, P. B., *et al.*) 7: 1134-1151

Northwest Territories—hydrogeology
hydrology: Slope hydrology as influenced by thawing of the active layer, Resolute, N.W.T.
(Woo, Ming-ko, *et al.*) 6: 978-986
Northwest Territories—paleontology
Mollusca: Some silicified Middle Silurian rostroconchs (Mollusca) from the Mackenzie Mountains, N.W.T., Canada
(Johnston, D. I., *et al.*) 5: 844-858
problematic fossils: Early Cambrian problematic fossils near June Lake, Mackenzie Mountains, N.W.T.
(Hofmann, H. J.) 10: 1513-1520
Northwest Territories—stratigraphy
changes of level: Stratigraphy, amino acid geochronology, and correlation of Quaternary sea-level and glacial events, Broughton Island, Arctic Canada
(Brigham, Julie K.) 4: 577-598
Jurassic: Protogrammoceras paltum (Buckman), a late Pliensbachian (Jurassic) ammonite from Axel Heiberg Island, Canadian Arctic Archipelago
(Hall, Russell L., *et al.*) 9: 1470-1475
Pliocene: The late Tertiary - Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago
(Vincent, J. S., *et al.*) 11: 1694-1712
Proterozoic: Paleomagnetism of late Proterozoic rocks, Victoria Island, Northwest Territories, Canada
(Palmer, H. C., *et al.*) 9: 1456-1469
— Paleomagnetism of the Borden dykes of Baffin Island and its bearing on the Grenville Loop
(Christie, K. W., *et al.*) 2: 275-289
— Timing of emplacement of the Muskox Intrusion; constraints from Coppermine homocline cover strata
(Kerans, Charles) 5: 673-683
Quaternary: The late Tertiary - Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago
(Vincent, J. S., *et al.*) 11: 1694-1712
Nova Scotia—economic geology
tin ores: A multivariate approach to geochemical distinction between tin-specialized and uranium-specialized granites of southern Nova Scotia
(Chatterjee, A. K., *et al.*) 3: 420-430
uranium ores: A multivariate approach to geochemical distinction between tin-specialized and uranium-specialized granites of southern Nova Scotia
(Chatterjee, A. K., *et al.*) 3: 420-430
Nova Scotia—geochemistry
trace elements: A study of uranium-rich reduction spheroids in sandstones from Pugwash Harbour, Nova Scotia
(Dyck, W., *et al.*) 11: 1738-1746
— Uranium and thorium in Paleozoic rhyolites of Nova Scotia
(Dostal, J., *et al.*) 2: 266-274
Nova Scotia—geomorphology
weathering: Properties and genesis of a soil and the underlying gibbsite-bearing saprolite, Cape Breton Island, Canada
(McKeague, J. A., *et al.*) 1: 37-48
Nova Scotia—oceanography
continental shelf: Shallow crustal structure of the continental margin off Nova Scotia
(Brocher, Thomas M.) 11: 1657-1672
Nova Scotia—sedimentary petrology
sedimentary structures: Lacustrine stromatolites and algal laminites in a Pennsylvanian coal-bearing succession near Sydney, Nova Scotia, Canada
(Masson, A. Guy, *et al.*) 7: 1111-1118
Nova Scotia—seismology
crust: Shallow crustal structure of the continental margin off Nova Scotia
(Brocher, Thomas M.) 11: 1657-1672
Nova Scotia—soils
Podzols: Properties and genesis of a soil and the underlying gibbsite-bearing saprolite, Cape Breton Island, Canada
(McKeague, J. A., *et al.*) 1: 37-48
Nova Scotia—stratigraphy
changes of level: Relative sea-level rise and tidal development in the Fundy tidal system
(Scott, David B., *et al.*) 10: 1554-1564
Silurian: Sedimentary facies, depositional environments, and faunal associations of the lower Llandovery (Silurian) Beechill Cove Formation, Arisaig, Nova Scotia
(Pickerill, R. K., *et al.*) 12: 1761-1779
ocean circulation *see also under* oceanography *under* Atlantic Ocean
ocean floors *see also under* oceanography *under* Atlantic Ocean; Azores
oil shale *see also under* economic geology *under* Ontario
Oligocene *see also under* stratigraphy *under* Washington
olistostromes *see under* turbidity current structures *under* sedimentary structures
Ontario—economic geology
oil shale: Revisions to the stratigraphy of the Upper Ordovician Collingwood beds of Ontario; a potential oil shale
(Russell, D. J., *et al.*) 12: 1780-1790
polymetallic ores: Geology and footwall alteration of the South Bay massive sulphide deposit, northwestern Ontario, Canada
(Urabe, Tetsuro, *et al.*) 12: 1862-1879
Ontario—geochemistry
isotopes: Enriched ^{13}C composition of interstitial waters in sediments of a freshwater lake
(Turner, J. V., *et al.*) 4: 616-621
Ontario—geochronology
Archean: U-Pb zircon geochronology of the Kapuskasing structural zone and vicinity in the Chapleau-Foleyet area, Ontario
(Percival, John A., *et al.*) 5: 830-843
Holocene: Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments
(Turner, J. V., *et al.*) 4: 599-615
Proterozoic: Marathon dikes; Rb-Sr and K-Ar geochronology of ultrabasic lamprophyres from the vicinity of McKellar Harbour, northwestern Ontario, Canada
(Platt, R. Garth, *et al.*) 6: 961-967
— Rb-Sr geochronology of the Coldwell Complex, northwestern Ontario, Canada [discussion]
(Blenkinsop, John, *et al.*) 9: 1499-1500
Ontario—geomorphology
glacial geology: Hudson Bay river sediments and regional glaciation; I, Iron and carbonate dispersal trains southwest of Hudson and James bays
(Adshead, J. D.) 2: 290-304

— Hudson Bay river sediments and regional glaciation; II, Comparison of carbonate mineralogy of size fractions for ice movement inference
(Adshead, J. D.) 2: 305-312
— Hudson Bay river sediments and regional glaciation; III, Implications of mineralogical studies for Wisconsinan and earlier ice-flow patterns
(Adshead, J. D.) 2: 313-321
Ontario—geophysical surveys
gravity surveys: A gravity study of the Coldwell Complex, northwestern Ontario and its petrological significance
(Mitchell, Roger H., *et al.*) 11: 1631-1638
magnetic surveys: Aeromagnetic interpretation of the Kirkland Lake - Larder Lake portion of the Abitibi greenstone belt, Ontario
(Letros, S., *et al.*) 4: 548-560
maps: Aeromagnetic interpretation of the Kirkland Lake - Larder Lake portion of the Abitibi greenstone belt, Ontario
(Letros, S., *et al.*) 4: 548-560
Ontario—paleontology
Echinodermata: Cataraquicrinus elongatus, a new disparid inadunate crinoid from the Middle Ordovician of Ontario
(Kolata, Dennis R.) 10: 1609-1613
Ontario—petrology
intrusions: Geology and petrology of Proterozoic mafic dikes, north-central Minnesota and western Ontario
(Southwick, D. L., *et al.*) 4: 622-638
metamorphic rocks: Bimodal volcanism in Archean greenstone belts exemplified by greywacke composition, Lake Superior Park, Ontario
(Ayres, L. D.) 7: 1168-1194
metamorphism: The greenschist facies of an Archean assemblage near Wawa, Ontario
(Studemeister, Paul A.) 9: 1409-1420
Ontario—stratigraphy
Archean: Paleomagnetism of Archean rocks from northwestern Ontario; Wabigoon Gabbro, Wabigoon Subprovince
(Dunlop, David J.) 12: 1805-1817
— Paleomagnetism of late Archean metavolcanics and metasediments, Abitibi Orogen, Canada; tholeiites of the Kinojevis Group
(Geissman, John W., *et al.*) 3: 436-461
Holocene: The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542
Ordovician: Revisions to the stratigraphy of the Upper Ordovician Collingwood beds of Ontario; a potential oil shale
(Russell, D. J., *et al.*) 12: 1780-1790
Proterozoic: Penokean remagnetization of the basal Huronian Dollyberry Lake basalts near Elliot Lake, Ontario
(Stupavsky, M., *et al.*) 1: 49-56
Ontario—structural geology
folds: Kink folds at upper Manitou Lake, northwestern Ontario
(Wallace, P. I., *et al.*) 8: 1305-1313
structural analysis: Structural analysis of shatter cones from the Slate Islands, northern Lake Superior
(Stesky, R. M., *et al.*) 1: 1-18
Ordovician *see also under* geochronology *under* Sweden; *see also under* stratigraphy *under* New Brunswick; Newfoundland; Ontario
ore guides *see under* mineral exploration
organic materials—alteration
thermal alteration: Recrystallization of micritic limestones as a function of thermal maturation in the Saint Lawrence Lowlands, Quebec
(Bertrand, R., *et al.*) 1: 66-85
organic materials—geochemistry
lake sediments: Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments
(Turner, J. V., *et al.*) 4: 599-615
shale: Revisions to the stratigraphy of the Upper Ordovician Collingwood beds of Ontario; a potential oil shale
(Russell, D. J., *et al.*) 12: 1780-1790
suspended materials: Forms of phosphorus and phosphorus-iron relationships in the suspended matter of the St. Lawrence Estuary
(Lucotte, Marc, *et al.*) 12: 1880-1890
orogeny—absolute age
Acadian Phase: Chronology of tectonothermal activity in the western Avalon Zone of the Newfoundland Appalachians
(Dallmeyer, R. D., *et al.*) 3: 355-363
orogeny—evolution
Appalachian Phase: Studies of burial metamorphism in the post-Taconic stage of the Appalachian Orogen, southwestern Gaspe
(Duba, Daria, *et al.*) 7: 1152-1158
Cordilleran Orogeny: An introductory overview to the concept of displaced terranes
(Ben-Avraham, Zvi, *et al.*) 6: 994-999
Grenvillian Orogeny: Progressive metamorphism of pelitic and quartzofeldspathic rocks in the Grenville Province of western Labrador; tectonic implications of bathozone 6 assemblages
(Rivers, T.) 12: 1791-1804
Kenoran Orogeny: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373
— Evolution of the south-central segment of the Archean Abitibi Belt, Quebec; Part III, Plutonic and metamorphic evolution and geotectonic model
(Dimroth, Erich, *et al.*) 9: 1374-1388
Penokean Orogeny: Penokean remagnetization of the basal Huronian Dollyberry Lake basalts near Elliot Lake, Ontario
(Stupavsky, M., *et al.*) 1: 49-56
oxygen—isotopes
O-18/O-16: Geology and footwall alteration of the South Bay massive sulphide deposit, northwestern Ontario, Canada
(Urabe, Tetsuro, *et al.*) 12: 1862-1879
— Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments
(Turner, J. V., *et al.*) 4: 599-615
— The isotopic composition of western Canadian barites and the possible derivation of oceanic sulphate $\delta^{34}S$ and $\delta^{18}O$ age curves
(Cecile, M. P., *et al.*) 10: 1528-1535
P-T conditions *see under* metaigneous rocks *under* phase equilibria; *see under* metamorphism; *see under* prograde metamorphism *under* metamorphism

Pacific Coast *see also* the individual states and provinces

Pacific Ocean—seismology
crust: The Vancouver Island Seismic Project; a CO-CRUST onshore-offshore study of a convergent margin
(Ellis, R. M., *et al.*) 5: 719-741

Pacific Ocean—tectonophysics
paleomagnetism: Magnetic inclination of basaltic rocks from the East Pacific Rise at 21°N, and validity of the polarity criteria
(Smith, Brigitte) 2: 322-333
plate tectonics: Subsidence and thermal history of Queen Charlotte Basin
(Yorath, C. J., *et al.*) 1: 135-159
— The Vancouver Island Seismic Project; a CO-CRUST onshore-offshore study of a convergent margin
(Ellis, R. M., *et al.*) 5: 719-741

Pacific region *see also* the individual countries

Pacific region—tectonophysics
plate tectonics: An introductory overview to the concept of displaced terranes
(Ben-Avraham, Zvi, *et al.*) 6: 994-999

Paleocene *see also under* geochronology *under* British Columbia; Montana

Paleocene—stratigraphy
boundary: Rb-Sr and U-Pb dating of bentonites
(Baadsgaard, H., *et al.*) 8: 1282-1290

paleoclimatology—Carboniferous
New Brunswick: The Upper Carboniferous Clifton Formation of northern New Brunswick; coal-bearing deposits of a semi-arid alluvial plain [discussion and reply]
(van de Poll, H. W., *et al.*) 7: 1212-1216

paleoclimatology—Holocene
Alberta: A mid-Holocene record of vegetative change in central Alberta
(Vance, Robert E., *et al.*) 3: 364-376
— Aliphatic carboxylic acids in buried Ah horizons in Alberta, Canada as paleoenvironmental indicators
(Dormaar, J. F.) 5: 859-866
British Columbia: Postglacial vegetational history of Tonquin Pass, British Columbia
(Kearney, M. S., *et al.*) 5: 776-786
Yukon Territory: Palynology and Recent morphogenesis in the Grizzly Creek basin, Yukon Territory
(Bourgeois, J. C., *et al.*) 10: 1543-1553

paleoclimatology—Pleistocene
Alberta: Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada
(Emerson, Donald) 1: 160-162
— Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada [discussion]
(Ouellet, Marcel) 10: 1619-1620
British Columbia: Four Pleistocene formations in Southwest British Columbia; their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age
(Hicock, Stephen R., *et al.*) 8: 1232-1247
Northwest Territories: Pleistocene ice and sand wedges, Hooper Island, Northwest Territories
(Mackay, J. Ross, *et al.*) 7: 1087-1097
Quebec: Discovery of strained calcareous concretions in the Gentilly Till, Saint Lawrence Lowlands, Quebec
(Lamothe, M., *et al.*) 3: 500-505

paleoclimatology—Quaternary
British Columbia: Palynology and paleoecology of postglacial sediments in an anoxic basin, Saanich Inlet, British Columbia
(Heusser, Linda E.) 5: 873-885

paleoecology—Arthropoda
Oligocene: Fossil crabs in glacial drift at Bellingham, Washington; evidence of mid-Tertiary marine deposition
(Mustoe, G. E.) 6: 987-990

paleoecology—conodonts
Ordovician: Biostratigraphic, paleogeographic, and tectonic implications of Late Ordovician conodonts from the Grog Brook Group, northwestern New Brunswick
(Nowlan, Godfrey S.) 4: 651-671

paleoecology—foraminifers
Cretaceous: Foraminifera of the lower part of the Sully Formation (upper Albian), northeastern British Columbia
(Stelck, C. R., *et al.*) 8: 1248-1259

paleoecology—Holocene
Alberta: A mid-Holocene record of vegetative change in central Alberta
(Vance, Robert E., *et al.*) 3: 364-376
— Aliphatic carboxylic acids in buried Ah horizons in Alberta, Canada as paleoenvironmental indicators
(Dormaar, J. F.) 5: 859-866
British Columbia: Postglacial vegetational history of Tonquin Pass, British Columbia
(Kearney, M. S., *et al.*) 5: 776-786

paleoecology—indicators
estuarine environment: River discharge, sedimentation, and benthic environmental variations in Miramichi inner bay, New Brunswick
(Schafer, C. T., *et al.*) 3: 388-398

paleoecology—mollusks
Pleistocene: Late glacial molluscs from the Cooking Lake moraine, Alberta, Canada
(Emerson, Donald) 1: 160-162

paleoecology—palynomorphs
Holocene: Palynology and Recent morphogenesis in the Grizzly Creek basin, Yukon Territory
(Bourgeois, J. C., *et al.*) 10: 1543-1553

paleoecology—Quaternary
British Columbia: Palynology and paleoecology of postglacial sediments in an anoxic basin, Saanich Inlet, British Columbia
(Heusser, Linda E.) 5: 873-885

paleogeography—Archean
Canadian Shield: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373
— Evolution of the south-central segment of the Archean Abitibi Belt, Quebec; Part III, Plutonic and metamorphic evolution and geotectonic model
(Dimroth, Erich, *et al.*) 9: 1374-1388

paleogeography—Carboniferous
Quebec: A spectrum of alluvial deposits in the Lower Carboniferous Bonaventure Formation of western Chaleur Bay area, Gaspe and New Brunswick, Canada
(Zaitlin, Brian A., *et al.*) 7: 1098-1110

paleogeography—interpretation
rifting: Paleogeographic conditions in the western Pelagonian margin in Greece during the initial rifting of the continental area
(Mountrakis, D., *et al.*) 11: 1673-1681
paleogeography—Jurassic
North America: The Pliensbachian ammonite Dayiceras dayiceroides and Early Jurassic paleogeography
(Smith, Paul L.) 1: 86-91
paleogeography—Ordovician
New Brunswick: Biostratigraphic, paleogeographic, and tectonic implications of Late Ordovician conodonts from the Grog Brook Group, northwestern New Brunswick
(Nowlan, Godfrey S.) 4: 651-671
paleogeography—Pennsylvanian
Nova Scotia: Lacustrine stromatolites and algal laminites in a Pennsylvanian coal-bearing succession near Sydney, Nova Scotia, Canada
(Masson, A. Guy, *et al.*) 7: 1111-1118
paleogeography—Quaternary
Alberta: Late Quaternary lacustrine and deltaic sedimentation near Banff, Alberta
(Kostaschuk, R. A., *et al.*) 12: 1834-1842
Quebec: A glacial lake in the Lake Minto region, New Quebec
(Lauriol, Bernard, *et al.*) 9: 1488-1492
paleogeography—Silurian
Greenland: Depositional environments along a carbonate ramp to slope transition in the Silurian of Washington Land, North Greenland
(Hurst, John M., *et al.*) 3: 473-499
paleomagnetism—Archean
Canadian Shield: Paleomagnetism of late Archean metavolcanics and metasediments, Abitibi Orogen, Canada; tholeiites of the Kinojevis Group
(Geissman, John W., *et al.*) 3: 436-461
Ontario: Paleomagnetism of Archean rocks from northwestern Ontario; Wabigoon Gabbro, Wabigoon Subprovince
(Dunlop, David J.) 12: 1805-1817
paleomagnetism—Devonian
Newfoundland: Paleomagnetism of the Deadman's Bay diabase dikes from northeastern central Newfoundland
(Murthy, G. S.) 2: 195-205
paleomagnetism—experimental studies
magnetic domains: Discrete single-domain and pseudo-single-domain titanomagnetite particles in silicic glass of an ash-flow tuff
(Geissman, John W., *et al.*) 2: 334-338
paleomagnetism—interpretation
magnetic anomalies: Aeromagnetic interpretation of the Kirkland Lake - Larder Lake portion of the Abitibi greenstone belt, Ontario
(Letros, S., *et al.*) 4: 548-560
magnetic inclination: Magnetic inclination of basaltic rocks from the East Pacific Rise at 21°N, and validity of the polarity criteria
(Smith, Brigitte) 2: 322-333
paleomagnetism—Paleozoic
Canadian Shield: Further thermochronometric unravelling of the age and palaeomagnetic record of the Southwest Grenville Province
(Lopez-Martinez, Margarita, *et al.*) 6: 953-960
Newfoundland: Paleomagnetism of diabase dikes from the Bonavista Bay area of northeastern central Newfoundland
(Murthy, G. S.) 2: 206-216
paleomagnetism—Precambrian
Quebec: Paleomagnetism of Archean volcanics and Proterozoic dikes in La Grande Riviere area of Nouveau-Quebec
(Seguin, M. K., *et al.*) 2: 339-343
paleomagnetism—Proterozoic
British Columbia: Paleomagnetism of the middle Proterozoic Mount Nelson Formation; evidence for a regional remagnetization event in the late Precambrian of the Cordillera
(Morris, W. A., *et al.*) 4: 561-567
Canadian Shield: Paleomagnetism and time-stratigraphic correlation of Proterozoic redbeds of the Labrador Trough and outliers of northern Quebec
(Schwarz, E. J., *et al.*) 11: 1725-1737
Labrador: Paleomagnetic history of the Mealy dykes of Labrador, Canada
(Park, J. K., *et al.*) 12: 1818-1833
Northwest Territories: Paleomagnetism of late Proterozoic rocks, Victoria Island, Northwest Territories, Canada
(Palmer, H. C., *et al.*) 9: 1456-1469
— Paleomagnetism of the Borden dykes of Baffin Island and its bearing on the Grenville Loop
(Christie, K. W., *et al.*) 2: 275-289
Ontario: Penokean remagnetization of the basal Huronian Dollyberry Lake basalts near Elliot Lake, Ontario
(Stupavsky, M., *et al.*) 1: 49-56
Quebec: Paleomagnetism of the Lac St-Jean anorthosite and related rocks, Grenville Province, Quebec
(Buchan, K. L., *et al.*) 2: 246-258
Wisconsin: Paleomagnetic results from the upper Keweenawan Chequamegon Sandstone; implications for red bed diagenesis and late Precambrian apparent polar wander of North America
(McCabe, Chad, *et al.*) 1: 105-112
paleomagnetism—Triassic
British Columbia: New paleomagnetic data for the Triassic Guichon Batholith of south-central British Columbia and their bearing on Terrane I tectonics
(Symons, D. T. A.) 8: 1340-1344
paleontology—automatic data processing
shape analysis: Digitizing outlines of fossil specimens using video frame capture
(Wilson, Mark V. H.) 11: 1747-1751
Paleosols *see under* soils *under* Alberta
Paleozoic *see also under* geochronology *under* Canadian Shield; *see also under* stratigraphy *under* Newfoundland
paleozoogeography *see* biogeography
palynomorphs—Chitinozoa
Ordovician: Llanvirnian chitinozoans (Table Head Formation) from western Newfoundland
(Achab, Aicha) 6: 918-931
palynomorphs—miospores
Holocene: A mid-Holocene record of vegetative change in central Alberta
(Vance, Robert E., *et al.*) 3: 364-376
— Isotopic and geochemical composition of marl lake waters and implications for radiocarbon dating of marl lake sediments
(Turner, J. V., *et al.*) 4: 599-615

— Palynology and Recent morphogenesis in the Grizzly Creek basin, Yukon Territory
(Bourgeois, J. C., *et al.*) 10: 1543-1553
— Postglacial vegetational history of Tonquin Pass, British Columbia
(Kearney, M. S., *et al.*) 5: 776-786
— The Emerson Phase of Lake Agassiz, independently registered in northwestern Minnesota and northwestern Ontario
(Bjorck, Svante, *et al.*) 10: 1536-1542
Permian: Errata; Upper Permian and Lower Triassic palynomorphs from eastern Yunnan, China
(Shu Ouyang) 2: 344
Pleistocene: Four Pleistocene formations in Southwest British Columbia; their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age
(Hicock, Stephen R., *et al.*) 8: 1232-1247
Quaternary: Palynology and paleoecology of postglacial sediments in an anoxic basin, Saanich Inlet, British Columbia
(Heusser, Linda E.) 5: 873-885

pegmatite *see also under* granites *under* igneous rocks

periglacial features *see under* glacial geology

permafrost *see also under* engineering geology *under* Northwest Territories

Permian *see also under* stratigraphy *under* China; Greece

Phanerozoic *see also* Tertiary; *see also under* geochronology *under* British Columbia

phase equilibria—metaigneous rocks
P-T conditions: Plagioclase-clinopyroxene-garnet-quartz equilibria and the geobarometry and geothermometry of garnet amphibolites from Mica Creek, British Columbia
(Ghent, Edward D., *et al.*) 5: 699-706

phosphorus—geochemistry
suspended materials: Forms of phosphorus and phosphorus-iron relationships in the suspended matter of the St. Lawrence Estuary
(Lucotte, Marc, *et al.*) 12: 1880-1890

physical geography *see* geomorphology

Pisces—Chondrichthyes
Cretaceous: Digitizing outlines of fossil specimens using video frame capture
(Wilson, Mark V. H.) 11: 1747-1751

Plantae *see also* algal flora; ichnofossils; palynomorphs; problematic fossils

Plantae—paleoecology
Holocene: Palynology and Recent morphogenesis in the Grizzly Creek basin, Yukon Territory
(Bourgeois, J. C., *et al.*) 10: 1543-1553

plate tectonics *see also under* tectonophysics *under* Canadian Shield; Iran; Mediterranean region; North America; Pacific Ocean; Pacific region

Pleistocene *see also under* geochronology *under* Quebec; *see also under* stratigraphy *under* Alberta; British Columbia; Newfoundland

Pliocene *see also under* stratigraphy *under* Northwest Territories

plutons *see under* intrusions

pollution *see also under* environmental geology *under* Midwest; Quebec

polymetallic ores *see also under* economic geology *under* Ontario

Porifera—miscellanea
Ordovician: An enigmatic fossil of sponge affinities from Middle Ordovician rocks of western Newfoundland
(Paquette, Jeanne, *et al.*) 10: 1501-1512

Portugal *see also* Azores

Precambrian *see also under* stratigraphy *under* Quebec

problematic fossils—taxonomy
affinities: An enigmatic fossil of sponge affinities from Middle Ordovician rocks of western Newfoundland
(Paquette, Jeanne, *et al.*) 10: 1501-1512
— Earliest cavity-dwelling organisms (coelobionts), Lower Cambrian Poleta Formation, Nevada [discussion and reply]
(Rowland, Stephen M., *et al.*) 8: 1348-1351
— Early Cambrian problematic fossils near June Lake, Mackenzie Mountains, N.W.T.
(Hofmann, H. J.) 10: 1513-1520

Proterozoic *see also under* geochronology *under* Canadian Shield; Ontario; *see also under* stratigraphy *under* British Columbia; Canadian Shield; Labrador; New Brunswick; North America; Northwest Territories; Ontario; Quebec; Wisconsin

pyroclastics *see under* igneous rocks

Quaternary *see also under* geochronology *under* Northwest Territories; *see also under* stratigraphy *under* Alberta; British Columbia; Northwest Territories

Quebec—economic geology
copper ores: The geology of the New Insco copper deposit, Noranda district, Quebec
(Meyers, R. E., *et al.*) 8: 1291-1304

Quebec—environmental geology
pollution: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

Quebec—geochronology
Archean: Rb-Sr isotopic study of Archean gneisses north of the Cape Smith fold belt, Ungava, Quebec
(Doig, Ronald) 5: 821-829
Pleistocene: Discovery of strained calcareous concretions in the Gentilly Till, Saint Lawrence Lowlands, Quebec
(Lamothe, M., *et al.*) 3: 500-505

Quebec—geomorphology
glacial geology: A glacial lake in the Lake Minto region, New Quebec
(Lauriol, Bernard, *et al.*) 9: 1488-1492
meteor craters: Recent seismicity possibly related to the Charlevoix astrobleme
(Roy, Denis W., *et al.*) 10: 1613-1618

Quebec—geophysical surveys
surveys: Structural interpretation, based on geophysical studies, of the Lake Becancour region, Thetford Mines, Quebec
(Sequin, Maurice K.) 8: 1327-1339

Quebec—hydrogeology
hydrology: Evolution of liquid and solid discharges of a subboreal estuary; St. Jean River, Quebec, Gulf of St. Lawrence north coast
(Cataliotti-Valdina, D., *et al.*) 2: 184-194

Quebec—oceanography
estuaries: Forms of phosphorus and phosphorus-iron relationships in the suspended matter of the St. Lawrence Estuary
(Lucotte, Marc, *et al.*) 12: 1880-1890

Quebec—petrology
intrusions: The Ile Bizard intrusion, Montreal, Quebec; kimberlite or lamprophyre? [discussion and reply]
(Michell, R. H., *et al.*) 9: 1493-1498
metamorphism: Evolution of the south-central segment of the Archean Abitibi Belt, Quebec; Part III, Plutonic and metamorphic evolution and geotectonic model
(Dimroth, Erich, *et al.*) 9: 1374-1388
— Studies of burial metamorphism in the post-Taconic stage of the Appalachian Orogen, southwestern Gaspe
(Duba, Daria, *et al.*) 7: 1152-1158

Quebec—sedimentary petrology
diagenesis: Recrystallization of micritic limestones as a function of thermal maturation in the Saint Lawrence Lowlands, Quebec
(Bertrand, R., *et al.*) 1: 66-85
sedimentary rocks: A spectrum of alluvial deposits in the Lower Carboniferous Bonaventure Formation of western Chaleur Bay area, Gaspe and New Brunswick, Canada
(Zaitlin, Brian A., *et al.*) 7: 1098-1110

Quebec—seismology
earthquakes: Recent seismicity possibly related to the Charlevoix astrobleme
(Roy, Denis W., *et al.*) 10: 1613-1618

Quebec—stratigraphy
Precambrian: Paleomagnetism of Archean volcanics and Proterozoic dikes in La Grande Riviere area of Nouveau-Quebec
(Seguin, M. K., *et al.*) 2: 339-343
Proterozoic: Paleomagnetism and time-stratigraphic correlation of Proterozoic redbeds of the Labrador Trough and outliers of northern Quebec
(Schwarz, E. J., *et al.*) 11: 1725-1737
— Paleomagnetism of the Lac St-Jean anorthosite and related rocks, Grenville Province, Quebec
(Buchan, K. L., *et al.*) 2: 246-258

Quebec—structural geology
structural analysis: Pillow shelves; determination of bedding direction and structural facing direction from shelves in deformed pillow lavas
(Sawyer, E. W., *et al.*) 9: 1483-1487
tectonics: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373
— Structural interpretation, based on geophysical studies, of the Lake Becancour region, Thetford Mines, Quebec
(Sequin, Maurice K.) 8: 1327-1339

quicksilver *see* mercury

racemization *see under* geochronology

radar methods *see under* methods *under* remote sensing

radioactive dating *see* absolute age

radiocarbon dating *see* absolute age

rare earths *see also* scandium

rare earths—geochemistry
metabasalt: Trace-element mobility during low-grade metamorphism and silicification of basaltic rocks from Saint John, New Brunswick
(Dostal, J., *et al.*) 3: 431-435

regional geology *see* areal geology under the appropriate area term

remote sensing—methods
radar methods: UHF radar system for airborne surveys of ice thickness
(Narod, B. Barry, *et al.*) 7: 1073-1086

reptiles *see also* Reptilia

reptiles—biostratigraphy
Cretaceous: Evidence for an unconformity at the Scollard-Battle contact, Upper Cretaceous strata, Alberta
(Russell, Loris S.) 8: 1219-1231

Reptilia *see also* reptiles

Reptilia—Ornithischia
Cretaceous: New data on pachycephalosaurid dinosaurs (Reptilia; Ornithischia) from North America
(Galton, Peter M., *et al.*) 3: 462-472

rock mechanics—frost action
shale: Erratum; Disintegration of shale by cyclic wetting and drying and frost action
(Mugridge, Samantha-Jane, *et al.*) 7: 1217

Rocky Mountains *see also* the individual states and provinces

Rocky Mountains—geomorphology
weathering: Morphometry of open rock basins, Kananaskis area, Canadian Rocky Mountains
(Sauchyn, David J., *et al.*) 3: 409-419

Sahara *see also* the individual countries

sandstone *see also under* clastic rocks *under* sedimentary rocks

Saskatchewan—paleontology
Mammalia: A new species of the artiodactyl Heptacodon from the Cypress Hills Formation, Lac Pelletier, Saskatchewan
(Storer, John E.) 8: 1344-1347

scandium—geochemistry
metabasalt: Trace-element mobility during low-grade metamorphism and silicification of basaltic rocks from Saint John, New Brunswick
(Dostal, J., *et al.*) 3: 431-435

schistosity *see under* style *under* foliation

sedimentary rocks *see also* sedimentary structures; sedimentation; sediments

sedimentary rocks—carbonate rocks
lithofacies: Depositional environments along a carbonate ramp to slope transition in the Silurian of Washington Land, North Greenland
(Hurst, John M., *et al.*) 3: 473-499
micritic limestone: Recrystallization of micritic limestones as a function of thermal maturation in the Saint Lawrence Lowlands, Quebec
(Bertrand, R., *et al.*) 1: 66-85

sedimentary rocks—clastic rocks
lithofacies: A spectrum of alluvial deposits in the Lower Carboniferous Bonaventure Formation of western Chaleur Bay area, Gaspe and New Brunswick, Canada
(Zaitlin, Brian A., *et al.*) 7: 1098-1110
— Sedimentary facies, depositional environments, and faunal associations of the lower Llandovery (Silurian) Beechill

Cove Formation, Arisaig, Nova Scotia
(Pickerill, R. K., *et al.*) 12: 1761-1779
sandstone: A study of uranium-rich reduction spheroids in sandstones from Pugwash Harbour, Nova Scotia
(Dyck, W., *et al.*) 11: 1738-1746
shale: Erratum; Disintegration of shale by cyclic wetting and drying and frost action
(Mugridge, Samantha-Jane, *et al.*) 7: 1217

sedimentary rocks—environmental analysis
lacustrine environment: Lacustrine stromatolites and algal laminites in a Pennsylvanian coal-bearing succession near Sydney, Nova Scotia, Canada
(Masson, A. Guy, *et al.*) 7: 1111-1118

sedimentary rocks—lithostratigraphy
Cretaceous: Evidence for an unconformity at the Scollard-Battle contact, Upper Cretaceous strata, Alberta
(Russell, Loris S.) 8: 1219-1231
Jurassic: A survey of the Jurassic System of China
(Wang Yi-gang, *et al.*) 11: 1646-1656
Mesozoic: The stratigraphy and biofacies trends of the lower Mesozoic Gabbs and Sunrise formations, west-central Nevada
(Taylor, David G., *et al.*) 10: 1598-1608
Ordovician: Revisions to the stratigraphy of the Upper Ordovician Collingwood beds of Ontario; a potential oil shale
(Russell, D. J., *et al.*) 12: 1780-1790
Paleozoic: Sedimentology of Upper Ordovician - Silurian sequences on New World Island, Newfoundland; separate fault-controlled basins?
(Arnott, R. J.) 3: 345-354

sedimentary rocks—organic residues
coal: The Upper Carboniferous Clifton Formation of northern New Brunswick; coal-bearing deposits of a semi-arid alluvial plain [discussion and reply]
(van de Poll, H. W., *et al.*) 7: 1212-1216

sedimentary structures *see also* sedimentary rocks; sediments

sedimentary structures—bedding plane irregularities
ice wedges: Pleistocene ice and sand wedges, Hooper Island, Northwest Territories
(Mackay, J. Ross, *et al.*) 7: 1087-1097

sedimentary structures—biogenic structures
stromatolites: Lacustrine stromatolites and algal laminites in a Pennsylvanian coal-bearing succession near Sydney, Nova Scotia, Canada
(Masson, A. Guy, *et al.*) 7: 1111-1118

sedimentary structures—secondary structures
concretions: Discovery of strained calcareous concretions in the Gentilly Till, Saint Lawrence Lowlands, Quebec
(Lamothe, M., *et al.*) 3: 500-505

sedimentary structures—turbidity current structures
olistostromes: Depositional environments along a carbonate ramp to slope transition in the Silurian of Washington Land, North Greenland
(Hurst, John M., *et al.*) 3: 473-499

sedimentation—controls
tectonic controls: Sedimentology of Upper Ordovician - Silurian sequences on New World Island, Newfoundland; separate fault-controlled basins?
(Arnott, R. J.) 3: 345-354
— Sedimentology of Upper Ordovician - Silurian sequences on New World Island, Newfoundland; separate fault-controlled basins? [discussion]
(Karlstrom, Karl E., *et al.*) 11: 1757-1758
— The southern Caspian; a compressional depression floored by a trapped, modified oceanic crust
(Berberian, Manuel) 2: 163-183

sedimentation—cyclic processes
estuarine sedimentation: Holocene history of the estuarine area surrounding Portage, Alaska as recorded in a 93 m core
(Bartsch-Winkler, Susan, *et al.*) 5: 802-820

sedimentation—environment
deltaic environment: Sedimentary environments and postglacial history of the Fraser Delta and lower Fraser Valley, British Columbia
(Clague, John J., *et al.*) 8: 1314-1326
glacial environment: Evidence of pre-late Wisconsinan glaciations on Labrador Shelf; Cartwright Saddle region
(Josenhans, H. W.) 2: 225-235
— Late Quaternary sediments and geomorphic history of northern Vancouver Island, British Columbia
(Howes, D. E.) 1: 57-65
glaciolacustrine environment: Late Quaternary lacustrine and deltaic sedimentation near Banff, Alberta
(Kostaschuk, R. A., *et al.*) 12: 1834-1842
lacustrine environment: Lacustrine stromatolites and algal laminites in a Pennsylvanian coal-bearing succession near Sydney, Nova Scotia, Canada
(Masson, A. Guy, *et al.*) 7: 1111-1118
nearshore environment: Sedimentary facies, depositional environments, and faunal associations of the lower Llandovery (Silurian) Beechill Cove Formation, Arisaig, Nova Scotia
(Pickerill, R. K., *et al.*) 12: 1761-1779
semi-arid environment: The Upper Carboniferous Clifton Formation of northern New Brunswick; coal-bearing deposits of a semi-arid alluvial plain [discussion and reply]
(van de Poll, H. W., *et al.*) 7: 1212-1216
slope environment: Depositional environments along a carbonate ramp to slope transition in the Silurian of Washington Land, North Greenland
(Hurst, John M., *et al.*) 3: 473-499
— Paleogeographic conditions in the western Pelagonian margin in Greece during the initial rifting of the continental area
(Mountrakis, D., *et al.*) 11: 1673-1681

sedimentation—processes
chemical sedimentation: Forms of phosphorus and phosphorus-iron relationships in the suspended matter of the St. Lawrence Estuary
(Lucotte, Marc, *et al.*) 12: 1880-1890
estuarine sedimentation: Evolution of liquid and solid discharges of a subboreal estuary; St. Jean River, Quebec, Gulf of St. Lawrence north coast
(Cataliotti-Valdina, D., *et al.*) 2: 184-194
— River discharge, sedimentation, and benthic environmental variations in Miramichi inner bay, New Brunswick
(Schafer, C. T., *et al.*) 3: 388-398
glacial sedimentation: Late Quaternary glacial history of the Hermitage area of southern Newfoundland
(Leckie, D. A., *et al.*) 3: 399-408
— Melt-out till in the Edmonton area, Alberta, Canada [discussion and reply]
(Edwards, Marc B., *et al.*) 11: 1758-1760

glaciofluvial sedimentation: Four Pleistocene formations in Southwest British Columbia; their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age
(Hicock, Stephen R., *et al.*) 8: 1232-1247
glaciomarine sedimentation: Submarine flow tills at Victoria, British Columbia [discussion and reply]
(Powell, Ross D., *et al.*) 3: 509-513
indicators: Quartz surface microtextures and grain-size characteristics of Quaternary sediments in the Porcupine Strand area of coastal Labrador, Newfoundland, Canada
(Rogerson, R. J., *et al.*) 3: 377-387
sedimentation—provenance
drift: Hudson Bay river sediments and regional glaciation; I, Iron and carbonate dispersal trains southwest of Hudson and James bays
(Adshead, J. D.) 2: 290-304
— Hudson Bay river sediments and regional glaciation; II, Comparison of carbonate mineralogy of size fractions for ice movement inference
(Adshead, J. D.) 2: 305-312
— Hudson Bay river sediments and regional glaciation; III, Implications of mineralogical studies for Wisconsinan and earlier ice-flow patterns
(Adshead, J. D.) 2: 313-321
metagraywacke: Bimodal volcanism in Archean greenstone belts exemplified by greywacke composition, Lake Superior Park, Ontario
(Ayres, L. D.) 7: 1168-1194
paleocurrents: A spectrum of alluvial deposits in the Lower Carboniferous Bonaventure Formation of western Chaleur Bay area, Gaspe and New Brunswick, Canada
(Zaitlin, Brian A., *et al.*) 7: 1098-1110
sedimentation—sedimentation rates
marine sedimentation: Shallow crustal structure of the continental margin off Nova Scotia
(Brocher, Thomas M.) 11: 1657-1672
sedimentation—transport
wind transport: Loess in the Cypress Hills, Alberta, Canada
(Catto, N. R.) 7: 1159-1167
sediments *see also* sedimentary rocks; sedimentary structures; sedimentation
sediments—carbonate sediments
diagenesis: Enriched ^{13}C composition of interstitial waters in sediments of a freshwater lake
(Turner, J. V., *et al.*) 4: 616-621
sediments—clastic sediments
composition: Hudson Bay river sediments and regional glaciation; I, Iron and carbonate dispersal trains southwest of Hudson and James bays
(Adshead, J. D.) 2: 290-304
diamicton: Submarine flow tills at Victoria, British Columbia [discussion and reply]
(Powell, Ross D., *et al.*) 3: 509-513
drift: Four Pleistocene formations in Southwest British Columbia; their implications for patterns of sedimentation of possible Sangamonian to early Wisconsinan age
(Hicock, Stephen R., *et al.*) 8: 1232-1247
— Late Quaternary glacial history of the Hermitage area of southern Newfoundland
(Leckie, D. A., *et al.*) 3: 399-408
— Late Quaternary sediments and geomorphic history of northern Vancouver Island, British Columbia
(Howes, D. E.) 1: 57-65
loess: Loess in the Cypress Hills, Alberta, Canada
(Catto, N. R.) 7: 1159-1167
mineral composition: Hudson Bay river sediments and regional glaciation; II, Comparison of carbonate mineralogy of size fractions for ice movement inference
(Adshead, J. D.) 2: 305-312
— Hudson Bay river sediments and regional glaciation; III, Implications of mineralogical studies for Wisconsinan and earlier ice-flow patterns
(Adshead, J. D.) 2: 313-321
quartz sand: Quartz surface microtextures and grain-size characteristics of Quaternary sediments in the Porcupine Strand area of coastal Labrador, Newfoundland, Canada
(Rogerson, R. J., *et al.*) 3: 377-387
till: Discovery of strained calcareous concretions in the Gentilly Till, Saint Lawrence Lowlands, Quebec
(Lamothe, M., *et al.*) 3: 500-505
— Melt-out till in the Edmonton area, Alberta, Canada [discussion and reply]
(Edwards, Marc B., *et al.*) 11: 1758-1760
sediments—environmental analysis
deltaic environment: Sedimentary environments and postglacial history of the Fraser Delta and lower Fraser Valley, British Columbia
(Clague, John J., *et al.*) 8: 1314-1326
estuarine environment: Holocene history of the estuarine area surrounding Portage, Alaska as recorded in a 93 m core
(Bartsch-Winkler, Susan, *et al.*) 5: 802-820
glaciolacustrine environment: Late Quaternary lacustrine and deltaic sedimentation near Banff, Alberta
(Kostaschuk, R. A., *et al.*) 12: 1834-1842
sediments—geochemistry
metals: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36
sediments—lithostratigraphy
Cenozoic: The late Tertiary - Quaternary stratigraphic record of the Duck Hawk Bluffs, Banks Island, Canadian Arctic Archipelago
(Vincent, J. S., *et al.*) 11: 1694-1712
Quaternary: Stratigraphy, amino acid geochronology, and correlation of Quaternary sea-level and glacial events, Broughton Island, Arctic Canada
(Brigham, Julie K.) 4: 577-598
sediments—marine sediments
acoustical properties: Remote acoustic classification of marine sediments with application to offshore Newfoundland
(Cochrane, N. A., *et al.*) 7: 1195-1211
seismic surveys *see under* geophysical surveys *under* Atlantic Ocean; British Columbia
seismology—crust
velocity structure: P-wave velocity structure of the Earth's crust beneath Vancouver Island
(McMechan, George A., *et al.*) 5: 742-752
— Shallow crustal structure of the continental margin off Nova Scotia
(Brocher, Thomas M.) 11: 1657-1672

— The Vancouver Island Seismic Project; a CO-CRUST onshore-offshore study of a convergent margin
(Ellis, R. M., *et al.*) 5: 719-741

seismology—elastic waves
acoustical waves: Acoustic waves; a finite difference film
(McMechan, George, *et al.*) 3: 506-508

seismology—microearthquakes
causes: Recent seismicity possibly related to the Charlevoix astrobleme
(Roy, Denis W., *et al.*) 10: 1613-1618

seismology—seismicity
seismotectonics: The southern Caspian; a compressional depression floored by a trapped, modified oceanic crust
(Berberian, Manuel) 2: 163-183

shale *see under* clastic rocks *under* sedimentary rocks

shatter cones *see under* shock metamorphism *under* metamorphism

shear zones *see under* effects *under* faults

Silurian *see also under* stratigraphy *under* Newfoundland; Nova Scotia

slope stability *see also* geomorphology

soil mechanics *see also* rock mechanics

soils—surveys
Alberta: Aliphatic carboxylic acids in buried Ah horizons in Alberta, Canada as paleoenvironmental indicators
(Dormaar, J. F.) 5: 859-866
Nova Scotia: Properties and genesis of a soil and the underlying gibbsite-bearing saprolite, Cape Breton Island, Canada
(McKeague, J. A., *et al.*) 1: 37-48

Southern Hemisphere *see also* Atlantic Ocean; Pacific Ocean

Spongiae *see* Porifera

springs *see also* ground water

strontium—isotopes
Sr-87/Sr-86: Marathon dikes; Rb-Sr and K-Ar geochronology of ultrabasic lamprophyres from the vicinity of McKellar Harbour, northwestern Ontario, Canada
(Platt, R. Garth, *et al.*) 6: 961-967
— The age and origin of Grenville Province uraniferous granites and pegmatites
(Fowler, A. D., *et al.*) 1: 92-104
— The Archean gneiss complex of northern Labrador; 2, Mineral ages, secondary isochrons, and diffusion of strontium during polymetamorphism of the Uivak Gneisses
(Collerson, Kenneth D.) 5: 707-718

structural analysis *see also* folds; foliation; lineation

structural analysis—folds
orientation: Pillow shelves; determination of bedding direction and structural facing direction from shelves in deformed pillow lavas
(Sawyer, E. W., *et al.*) 9: 1483-1487
polyphase processes: Stratigraphy and deformational history of the Scrip Nappe, Monashee Mountains, British Columbia
(Raeside, Robert P., *et al.*) 4: 639-650

structural analysis—interpretation
ophiolite: The structure of sheeted dikes and associated rocks in North Arm Massif, Bay of Islands ophiolite complex, and the intrusive process at oceanic spreading centers
(Rosencrantz, Eric) 5: 787-801
petrofabrics: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373
polyphase processes: Structural evolution of a section along the base of the St. Anthony Complex, Northwest Newfoundland
(Craw, D.) 11: 1713-1724
— The geology and structural history of the Cape Ray fault zone in southwestern Newfoundland
(Wilton, Derek H. C.) 7: 1119-1133
shatter cones: Structural analysis of shatter cones from the Slate Islands, northern Lake Superior
(Stesky, R. M., *et al.*) 1: 1-18

structural analysis—methods
graphic methods: A crystallographic approach to the calculation of orientation diagrams
(Starkey, John) 6: 932-952

structural analysis—preferred orientation
microcracks: An application of photoelastic models to explain microfractures and joints in carbonate strata
(Das Gupta, U., *et al.*) 11: 1682-1693

structural petrology *see* structural analysis

sulfides *see under* minerals

sulfur—isotopes
S-34/S-32: The isotopic composition of western Canadian barites and the possible derivation of oceanic sulphate $\delta^{34}S$ and $\delta^{18}O$ age curves
(Cecile, M. P., *et al.*) 10: 1528-1535

sulphur *see* sulfur

Sweden—geochronology
Ordovician: Rb-Sr and U-Pb dating of bentonites
(Baadsgaard, H., *et al.*) 8: 1282-1290

symposia—economic geology
metal ores: Symposium; Metallogeny and tectonics of the North American Cordillera—Symposium; Metallogenie et tectonique de la Cordillere de l'Amerique du Nord
(Dawson, Kenneth M.) 6: 991-1071

tectonics *see also* faults; folds; orogeny; structural analysis; *see also under* structural geology *under* Archean; Canadian Shield; Newfoundland; North America; Quebec

tephrochronology *see under* geochronology

Tertiary—paleontology
Mammalia: New evidence on the relationships of the Tertiary insectivoran Ankylodon (Mammalia)
(Fox, Richard C.) 6: 968-977

theoretical studies *see under* thermal conductivity *under* heat flow

thermal conductivity *see under* heat flow

thorium—geochemistry
metabasalt: Trace-element mobility during low-grade metamorphism and silicification of basaltic rocks from Saint John, New Brunswick
(Dostal, J., *et al.*) 3: 431-435
metarhyolite: Uranium and thorium in Paleozoic rhyolites of Nova Scotia
(Dostal, J., *et al.*) 2: 266-274

thrust faults *see under* displacements *under* faults

tin ores *see also under* economic geology *under* Nova Scotia

trace elements *see under* geochemistry *under* Canadian Shield; New Brunswick; Northwest Territories; Nova Scotia; *see under* migration of elements *under* metamorphism

tracks and trails *see* ichnofossils

Triassic *see also under* geochronology *under* Yukon Territory; *see also under* stratigraphy *under* British Columbia; China; Nevada

turbidity current structures *see under* sedimentary structures

underground water *see* ground water

United States *see also* Alaska; California; Georgia; Midwest; Minnesota; Montana; Nevada; New England; Washington; Western U.S.; Wisconsin; Wyoming

uranium—geochemistry
metarhyolite: Uranium and thorium in Paleozoic rhyolites of Nova Scotia
(Dostal, J., *et al.*) 2: 266-274
sandstone: A study of uranium-rich reduction spheroids in sandstones from Pugwash Harbour, Nova Scotia
(Dyck, W., *et al.*) 11: 1738-1746

uranium ores *see also under* economic geology *under* Canadian Shield; Nova Scotia

varves *see under* geochronology

Vertebrata *see also* ichnofossils; Mammalia; Pisces; problematic fossils; Reptilia

vertebrates *see also* reptiles

vertebrates—biostratigraphy
Cretaceous: Evidence for an unconformity at the Scollard-Battle contact, Upper Cretaceous strata, Alberta
(Russell, Loris S.) 8: 1219-1231

volcanic rocks *see under* igneous rocks

volcanism *see under* volcanology

volcanology—volcanism
evolution: Evolution of the south-central segment of Archean Abitibi Belt, Quebec; Part II, tectonic evolution and geomechanical model
(Dimroth, Erich, *et al.*) 9: 1355-1373
— Evolution of the south-central segment of the Archean Abitibi Belt, Quebec; Part III, Plutonic and metamorphic evolution and geotectonic model
(Dimroth, Erich, *et al.*) 9: 1374-1388
island arcs: Isotopic composition of lead from a paleo-island arc; Shasta, California
(Slawson, W. F.) 10: 1521-1527
subaerial environment: Bimodal volcanism in Archean greenstone belts exemplified by greywacke composition, Lake Superior Park, Ontario
(Ayres, L. D.) 7: 1168-1194

Washington—stratigraphy
Oligocene: Fossil crabs in glacial drift at Bellingham, Washington; evidence of mid-Tertiary marine deposition
(Mustoe, G. E.) 6: 987-990

water *see also* ground water; hydrology

weathering *see also under* geomorphology *under* Alberta; Manitoba; Nova Scotia; Rocky Mountains

weathering—sedimentary rocks
shale: Erratum; Disintegration of shale by cyclic wetting and drying and frost action
(Mugridge, Samantha-Jane, *et al.*) 7: 1217

well-logging—interpretation
lithostratigraphy: Revisions to the stratigraphy of the Upper Ordovician Collingwood beds of Ontario; a potential oil shale
(Russell, D. J., *et al.*) 12: 1780-1790
stress: Breakouts in Alberta and stress in the North American Plate
(Fordjor, C. K., *et al.*) 9: 1445-1455

Western Australia—petrology
metamorphism: Analysis of pyrrhotite properties accompanying recrystallization of metamorphosed nickel sulfide ore from Kambalda, Western Australia
(Lusk, J., *et al.*) 1: 113-119

Western Hemisphere *see also* Atlantic Ocean; North America; Pacific Ocean

Western U.S. *see also* Alaska; California; Montana; Nevada; Washington; Wyoming

Western U.S.—economic geology
metal ores: Correlation of metal occurrence and terrane attributes in the northwestern conterminous United States
(Tooker, Edwin W.) 6: 1030-1039
— Distribution of mineral deposits in accreted terranes and cratonal rocks of Western United States
(Albers, John P.) 6: 1019-1029

Wisconsin—stratigraphy
Proterozoic: Paleomagnetic results from the upper Keweenawan Chequamegon Sandstone; implications for red bed diagenesis and late Precambrian apparent polar wander of North America
(McCabe, Chad, *et al.*) 1: 105-112

Wyoming—paleontology
Mammalia: New evidence on the relationships of the Tertiary insectivoran Ankylodon (Mammalia)
(Fox, Richard C.) 6: 968-977

Yukon Territory—geochronology
Triassic: Rb-Sr whole-rock age of the Klondike Schist, Yukon Territory
(Metcalfe, P., *et al.*) 5: 886-891

Yukon Territory—petrology
metamorphism: Eclogite from central Yukon; a record of subduction at the western margin of ancient North America
(Erdmer, Philippe, *et al.*) 9: 1389-1408

Yukon Territory—stratigraphy
Holocene: Palynology and Recent morphogenesis in the Grizzly Creek basin, Yukon Territory
(Bourgeois, J. C., *et al.*) 10: 1543-1553

zinc—abundance
lake sediments: Paleolimnological evidence for the long-range atmospheric transport of acidic pollutants and heavy metals into the Province of Quebec, eastern Canada
(Ouellet, M., *et al.*) 1: 23-36

zinc ores *see also under* economic geology *under* California

zoogeography *see* biogeography